Catalogue PRODUCTS



ENTRANCE MATS P.3

LOGO MATS P.25

ERGONOMIC MATS P.29





SIMPLY what you need



THE MAT TECH DIFFERENCE

SIMPLE

We want your experience with us to be pleasant and easy. If you do not find what you need quickly, contact us! We will be happy to share our manufacturing expertise with you...

it's that simple.





EFFICIENT AND DURABLE

We manufacture commercial and industrial mats made from quality materials. Our mats are designed to perform and resist your environment.

TAILOR MADE

You are our inspiration! Proof: almost half of our mats are custom made according to the shape, size and finish required by our customers.

Tell us your needs and let us adapt accordingly!





DYNAMIC

We have such a passion for matting that we constantly strive to communicate it through innovative solutions, outstanding service, employees, etc...

We are eager to please you.

Your satisfaction is our priority!





MAIN FUNCTION

PRODUCT NAME





HEAVY TRAFFIC 1,500+ people/day

PERFORMANCE

PRESTIGE

CLASSIC

Astro-Turf®	Scrapes dirt	~	-	~	pg.8
Marathon™	Scrapes dirt / Absorbs water	~	~	~	pg.8
Tire-Track™	Scrapes dirt / Absorbs water	~	~	-	pg. 9
Dust-Star™	Absorbs water	~	~	~	pg. 9

MED/HEAVY TRAFFIC Up to 1,500 people/day

Diamond-Deluxe™ Duet	Scrapes dirt	~	-	~	pg.11
Oxford™ Elite	Scrapes dirt / Absorbs water	~	~	~	pg.11
Oxford™	Absorbs water	~	~	~	pg.12

MEDIUM TRAFFIC Up to 500 people/day

Mat-A-Dor™	Scrapes dirt	-	-	-	pg.14
Cross-Over™	Scrapes dirt / Absorbs water	-	V	~	pg.14
Needle-Pin®	Scrapes dirt / Absorbs water	-	~	~	pg.15
Chevron™	Scrapes dirt / Absorbs water	-	~	~	pg.15
Walk-A-Way™	Absorbs water	-	~	~	pg.16
Superluxe™	Absorbs water	-	~	~	pg.16

LIGHT TRAFFIC Under 125 people/day

Crown-Tred™	Scrapes dirt	-	-	-	pg.18
Needle-Rib™	Scrapes dirt / Absorbs water	-	-	-	pg.18
Three-N-One™	Scrapes dirt / Absorbs water	-	-	-	pg.19
Eco-Step™	Absorbs water	-	-	-	pg.19
Proluxe™	Absorbs water	-	-	-	pg. 20

HEAVY | Permanent installation

Obdura™	Scrapes dirt / Absorbs water	-	-	~	pg. 21
Dura-Dot™	Scrapes dirt / Absorbs water	-	-	~	pg. 21

OTHERS

EcoPlus™	Scrapes dirt / Absorbs water	-	-	-	pg. 22
Super-Soaker Family™	Scrapes dirt / Absorbs water	-	-	-	pg. 22-23
Walk-N-Clean™	-	-	-	-	pg. 24
Accessories	-	-	-	-	pg. 24

Safety and Cleanliness are important to you? Here's how to achieve this with Mat-Tech's entrance matting solution:

LEVEL OF DIRT AND WATER





Look for these logo's through the catalogue to identify the right mat for you.



- For outdoor/indoor entrance and vestibule
- Scrapes and traps dirt/salt and prevents it from entering the building



- For indoor entrance
- Removes debris from shoes and retains water to keep entrances clean



- For indoor areas
- · Absorbs water to keep corridors dry and safe

DID YOU KNOW?

The proper use of entrance mats is recognized by the Green Building Council of Canada, under LEED® certification system (Leadership in Energy and Environmental Design), visioning a transformed built environment leading to a sustainable future. Some Mat Tech products can contribute in obtaining 2 credits:

1 Credit*: "Permanently use the entrance matting system to capture dirt, particles etc. from entering the building at all high volume entrances"

1 Credit**: Use material with recycled content in order that the sum [...] constitutes at least 7.5% of the total value of the material in the project.

For more information, visit the website: www.cagbc.org

*EQ Credit 5 requirements, Green Building Rating System v1.0

**MR Credit 4.1 requirement, Green Building Rating System v1.0

KEEP IT GREEN!

DISPOSAL CONCERNS

One of the most important parts of the Green Building Program is concern for the environment, including the use of products that can help reduce the need for landfills. There are two key issues with mats:

1. THE COMPOSITION OF THE MAT

Many of our products have recycled content that prevent post-consumer or post-industrial products from entering landfills, thus preserving our natural resources.

2. THE PERFORMANCE LIFE OF THE MAT

High-performance mats can have a performance life of many years. Our Performance, Prestige, Logo and Ergonomic Collections (see pg. 6, 24 & 32) have an extended Total Confidence Warranty that ensures a productive and effective life. To perform efficiently in a green building, sustainability is key. Inexpensive, low-performance mats will need to be replaced more frequently causing a disposal issue.



PRODUCTS	% Recycled Content	PRODUCTS	% Recycled Content
Chevron	50% surface	Safety-Step (Perforated)	Up to 47%
Crown-Tred	50%	Safety-Step (Solid-Top)	47%
Cushion-Step	25%	Safewalk	Up to 40%
Cushion-Tile	100%	Safewalk-Light	Up to 60%
Deck Plate Runner	50%	Sta-Kleen Runner	50%
Disinfectant Boot Bath	30%	Super-Soaker	20% backing
Dura-Shock	98%	Super-Soaker Diamond	20% backing
Eco-Step	100% surface	Super-Soaker Fan	20% backing
EcoPlus	100% surface, 20% backing	Walk-N-Clean	50% backing
Industrial Deck Plate	Up to 30%	Workers-Delight Deck Plate	Up to 25%
Mat-A-Dor	30%	Workers-Delight Supreme	25%
Needle-Rib	50% surface	WD Traction Plus	Up to 30%
Safe-Flow Plus	15%	Yoga-Flex	47%





We truly believe in our product and stand behind it. You can therefore rest assured in giving us your **total confidence**.

Your satisfaction is our priority!



Premium quality vinyl made from an environmentally friendly formula

- No mess! Backing 100% impermeable to ensure optimal protection for your floors
- No quality problem! Perfect fibre adherence for a longer life
- More durable! Backing and borders are resistant to a wide range of temperatures and weather
- **Cost effective!** Using only premium quality vinyl reduces the weight and therefore facilitates shipping and handling and reduces transport costs.



Extra-large Dimensions!

- The durability of the backing allows the permanent joining of two mats to create custom widths up to 11'9"
- The fact that our entrance mats are made in Canada affords us the to provide customized matting solutions to fit your specific needs.



- Create a great first impression by adding your logo into any identified entrance mat. Look for this logo throughout the catalogue.
- We can reproduce virtually any design you want. Simply let your imagination run free!
- See page 25 to see the complete collection



HEAVY TRAFFIC 1500+ PEOPLE/DAY PERFORMANCE

Welcome to the **Performance Collection**, our toughest, strongest and most efficient solution to help you get rid of soil and moisture! Built to withstand extreme traffic, these premium mats will retain several pounds of dirt without losing their appearance and functionality.



ASTRO-TURF® – to protect floors and mats from salt/gravel

MARATHON™ – to keep entrances clean

DUST-STAR™ – to keep corridors dry and safe









FROSTY GREY

BLACK

- For outdoor/indoor entrance and lobby with heavy traffic over 1,500 people/day e.g.: hospitals, airports, large retail stores...
- Unique surface scrapes and traps dirt/salt and prevents it from entering the building
- Appealing two-tone colours efficiently conceal dirt, sand, salt, etc.
- Molded plastic blades resist crushing, mildew and fading
- Easy to clean; simply shake off





Absorbs Water



Resists Crushing





In comparison to all our mats



MATS: 3'3"x4', 3'3"x5', 3'3"x8', 6'3"x4', 6'3"x8' Include HD nosing on 4 sides. Mats more than 3' wide have a visible seam.



ROLL: 3'x50', Straight cut



CUSTOM SIZES: Up to 3'x50' or 6'x25', HD nosing sold separately



SPECS: 5/8" thick, polyethylene surface/backing, total weight 0.53 lb/ft2



#228

WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/astroturf











PERFORMANCE

BEIGE

 For indoor vestibule and lobby with heavy traffic over 1,500 people/day e.g.: shopping malls, airports, high schools, universities...

- Dense berber pattern removes debris from shoes and retains gallons of water
- Latex coated and UV resistant surface provides extra longevity
- Thick ThermoFlex[™] backing for superior floor protection
- Optional heavy-duty nosing recommended for luggage, shopping carts etc.



Scrapes



Absorbs Water



Resists Crushing





In comparison to all our mats



MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 3/8" thick, polypropylene needlepunched surface, Thermoflex vinyl backing/borders, total weight 0.93 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/marathon



WIPER



- For indoor vestibule and lobby with heavy traffic over 1,500 people/day e.g.: subway stations, ski resorts, high schools, manufacturing facilities...
- Distinctive bi-level pattern removes dirt from shoes and retains water
- Two-tone colour surface hides dirt
- Thick ThermoFlex[™] backing for superior floor protection





Absorbs Water



Resists Crushing





GREY

PERFORMANCE



MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'



SPECS: 3/8" thick, polypropylene needlepunched surface, Thermoflex vinyl backing/borders, total weight 0.84 lb/ft2



WARRANTY: Total Confidence



#350

FOR MORE INFO: mattech.ca/tiretrack











- For indoor areas with heavy traffic over 1,500 people/day e.g.: airport corridors, university admission counters, hospital elevators...
- Unique microfibre/olefin blend holds three times more liquid than a traditional wiper mat
- Positively charged microfibres attract hair, lint, dust and keep them from polluting the air
- ThermoFlex[™] backing for superior floor protection
- Optional Rug-Hugger[™] backing available to reduce mat movement on carpeting



Scrapes



Absorbs Water



Resists Crushing







MARLIN BLUE

In comparison to all our mats



MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 1/2" thick, nylon/polypropylene fibres, ThermoFlex™ vinyl backing/borders, total weight 0.74 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/duststar



MED/HEAVY TRAFFIC UP TO 1500 PEOPLE/DAY PRESTIGE

Welcome to the **Prestige Collection**, our most elegant and most efficient solution to enhance the appearance of your entrance and create a good first impression.

These mats perfectly complement locations where appearance and performance are important.



DIAMOND-DELUXE™ DUET – to protect floors and mats from salt/gravel

OXFORD™ ELITE – to keep entrances clean


OXFORD™ – to keep corridors dry and safe





Unbacked





Also available with foam backing

- For outdoor/indoor entrance and lobby with med/heavy traffic up to 1,500 people/day e.g.: hotels, museums, movie theaters, pool resorts...
- · Distinctive embossed diamond pattern provides traction on wet floors and scrapes debris off shoes
- Soft surface allows barefoot traffic. Unbacked drain-through version is perfect for pools, spas, showers, etc.







Absorbs Water



Resists Crushing





MATS: 3'x5', 4'x6', available with or without HD nosing



ROLLS: 3'x20', 4'x20', straight cut



CUSTOM SIZES: Up to 8'x20', HD nosing sold separately



SPECS: #125 backed 1/2" thick, vinyl loop surface/foam backing, total weight 1.0 lb/ft² #126 unbacked 3/8" thick, vinyl loop surface, total weight 0.73 lb/ft²



WARRANTY: Total Confidence



#265

FOR MORE INFO: mattech.ca/ddd









PRESTIGE

BLACK/ BROWN Black scraping fibres



• For indoor vestibule and lobby with med/heavy traffic up to 1,500 people/day e.g.: hotels, drug stores, casinos, large retail stores...

- Dense dual fibre construction for well-balanced dirt scraping and water retention performance
- · Attractive loop pile pattern hides dirt and keeps entrance clean
- ThermoFlex[™] backing for superior floor protection
- · Optional heavy-duty nosing recommended for luggage, shopping carts etc.



Scrapes Dirt



Absorbs Water



Resists Crushing









MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 7/16" thick, loop-pile polypropylene/nylon surface, ThermoFlex™ vinyl backing/borders, total weight 0.82 lb/ft²



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/oxfordelite









• For indoor areas with med/heavy traffic up to 1,500 people/day e.g.: hotel counters, drug store aisles, elevators...

- · Dense attractive pattern offers excellent water retention
- Combine with Oxford™ Elite wiper/scraper (page 11) for matching appearance and superior results
- ThermoFlex[™] backing for superior floor protection
- Optional Rug-Hugger[™] backing available to reduce mat movement on carpeting



Scrapes Dirt



Absorbs Water



Resists Crushing





BLACK/ BROWN





MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 7/16" thick, loop-pile polypropylene surface, ThermoFlex™ vinyl backing/borders, total weight 0.82 lb/ft²



WARRANTY: Total Confidence




FOR MORE INFO: mattech.ca/oxford

Choose our Performance or prestige collection and benefit from our Total Confidence Warranty.







MEDIUM TRAFFIC UP TO 500 PEOPLE/DAY CLASSIC

Welcome to the **Classic Collection**, an integral part of a maintenance program in order to reduce floor care costs. It is an effective solution that helps prevent floor wear as well as reduce the risk of falls due to slippery floors.



MAT-A-DOR™ – to protect floors and mats from salt/gravel

CROSS-OVER™ – to keep entrances clean

WALK-A-WAY™ – to keep corridors dry and safe



- For outdoor/indoor entrance and lobby with medium traffic up to 500 people/day e.g.: car dealerships, churches, small retail stores, restaurants...
- More than 25,000 crush proof fingers per square yard scrape heavy debris from shoes
- Bevelled borders keep water and melting snow inside the mat
- Remains flexible and performs in the coldest temperature
- Accept no imitations. If a finger breaks within five years, we replace the mat







Absorbs Water



Resists Crushing



In comparison to all our mats

MATS: 2'x2'8", 2'8"x3'3", 3'x6'



CUSTOM MATS: Unavailable



SPECS: 5/8" thick, rubber surface/corrugated backing, total weight 2.1 lb/ft²




WARRANTY: 5 years on finger breakage



#255

CROSS-OVER™

FOR MORE INFO: mattech.ca/matador








CLASSIC

Scraping fibres

Wipina fibres

WALNUT



- · Dual fibre construction for well-balanced dirt scraping and water retention performance
- Attractive two-tone colour pattern hides dirt and keeps entrance clean
- ThermoFlex[™] backing for superior floor protection



In comparison to all our mats

Scrapes



Absorbs



Resists Crushing










ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'





BLUE



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/crossover

BURGUNDY

CLASSIC

FOREST

GREEN









• For indoor vestibule and lobby with medium traffic up to 500 people/day e.g.: car dealerships, churches, small retail stores, restaurants...

- · Raised berber pattern effectively traps dirt from shoes and retains water
- Durable surface reduces appearance of foot traffic
- ThermoFlex[™] backing for superior floor protection



Scrapes Dirt



Absorbs Water



Resists Crushing





MATS: 3'x4', 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 1/2" thick, needlepunched polypropylene surface,
ThermoFlex™ vinyl backing/borders, total weight 0.7 lb/ft²



WARRANTY: Limited 1 year



#230

CHEVRON™


FOR MORE INFO: mattech.ca/needlepin



BROWN







- · Decorative multi-directional pattern gently scrapes dirt from shoes and retains water
- · Recycled surface made from 50% plastic bottles
- ThermoFlex[™] backing for superior floor protection



Scrapes Dirt



Absorbs Water



Resists Crushing









MATS: 3'x4', 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'




ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'







WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/chevron









For indoor areas with medium traffic up to 500 people/day
 e.g.: kindergarten corridors, restaurant waiting areas, retail store aisles...

- Attractive loop-pile surface offers excellent water retention
- Combine with Cross-Over[™] wiper/scraper (pg. 14) for matching appearance and superior results
- ThermoFlex[™] backing for superior floor protection










Resists Crushing





In comparison to all our mats.



MATS: 3'x4', 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 5/16" thick, loop-pile polypropylene surface,
ThermoFlex™ vinyl backing/borders, total weight 0.75 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/walkaway



- For indoor areas with medium traffic up to 500 people/day
 e.g.: kindergarten corridors, restaurant waiting areas, retail store aisles...
- · Classic all-year solution to provide safety on wet floors
- Offers 60% better water retention and dries quicker than traditional wiper mats
- ThermoFlex $^{\!\scriptscriptstyle\mathsf{TM}}$ backing for superior floor protection



Scrapes Dirt



Absorbs Water



Resists Crushing





CHARCOAL

In comparison to all our mats



MATS: 3'x4', 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 1/2" thick, cut-pile polypropylene surface,
ThermoFlex™ vinyl backing/borders, total weight 0.6 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/superluxe



LIGHT TRAFFIC UNDER 125 PEOPLE/DAY

Welcome to the **Value Collection**, our selection of commercial entrance products which are an economical solution for your matting needs. These value products have proven their capabilities for decades.



CROWN-TRED ™ – to protect floors and mats from salt/gravel

THREE-N-ONE[™] – to keep entrances clean

ECO-STEP™ – to keep corridors dry and safe



- For outdoor/indoor entrance and lobby with light traffic less than 125 people/day e.g.: boutiques, side entrances, garages...
- Bi-level Durable rubber construction provides good traction in wet conditions
- Slim profile facilitates the opening of doors
- · Made from 50% recycled rubber





Scrapes



Absorbs Water



Resists Crushing



In comparison to all our mats



MATS: 2'10"x4'7", 3'9"x5'7", 2'10"x9'3"



CUSTOM MATS: Unavailable



SPECS: 1/4" thick, rubber surface/backing, total weight 1.15 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/crowntred





VALUE



Wiping fibres

Scraping fibres

- For indoor vestibule and lobby with light traffic of less than 125 people/day e.g.: boutiques, hair salons, dental offices...
- Dual fibre construction for well-balanced dirt scraping and water retention performance
- Attractive loop-pile surface hides dirt and keeps entrance clean
- Vinyl backing provides moisture barrier to help protect floors





Absorbs Water




Resists Crushing





WALNUT







ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'



SPECS: 5/16" thick, loop-pile polypropylene surface, vinyl backing/borders, total weight 0.68 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/threenone





- · For indoor vestibule and lobby with light traffic of less than 125 people/day e.g.: boutiques, side entrances, dental offices...
- Decorative multi-directional pattern gently brushes dirt and moisture from shoes
- Recycled surface made from 50% plastic bottles
- Vinyl backing provides moisture barrier to help protect floors



Scrapes Dirt



Absorbs Water



Resists Crushing





VALUE

In comparison to all our mats



MATS: 2'x3', 3'x4', 3'x5', 3'x10', 4'x6'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'



SPECS: 5/16" thick, needlepunched polypropylene/P.E.T. surface, vinyl backing/borders, total weight 0.6 lb/ft2



WARRANTY: Limited 1 year

ECO-STEP™




FOR MORE INFO: mattech.ca/needlerib



GRANITE







- Year round value solution providing safety on wet floors
- Retains 20% more liquid and fine dirt than our Proluxe
- Recycled surface made from 100% plastic bottles
- Vinyl backing provides moisture barrier to help protect floors



Scrapes **Dirt**



Absorbs Water



Resists Crushing







In comparison to all our mats



MATS: 2'x3', 3'x4', 3'x5', 3'x10', 4'x6'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'



SPECS: 1/4" thick, needlepunched P.E.T surface, vinyl backing/borders, total weight 0.56 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/ecostep

WIPER



- · For indoor areas with light traffic of less than 125 people/day e.g.: boutique aisles, seating areas, elevators...
- · Year round value solution providing safety on wet floors
- Dries quicker than rental mats and resists fading
- · Vinyl backing provides moisture barrier to help protect floors




Scrapes



Absorbs Water



Resists Crushing



MATS: 2'x3', 3'x4', 3'x5', 3'x10', 4'x6'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'



SPECS: 5/16" thick, cut-pile polypropylene surface, vinyl backing/borders, total weight 0.56 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/proluxe

















- For large entryways with heavy traffic over 1,500 people/day e.g.: office buildings, convention centres, hotel lobbies...
- Perfect for wall-to-wall permanent installations. Can also be used outdoors under cover
- Dense berber pattern removes debris from shoes and retains gallons of water
- Anti-skid and moisture-resistant gel foam backing
- Optional sewn and glued heavy-duty nosing recommended for luggage, shopping carts etc. Not recommended for applications where storage, rolling and unrolling is required







Absorbs Water



Resists Crushing





ROLLS: 3'3"x82' (1m x 25m) 9'10"x82' (3m x 25m) Straight cut

6'7"x82' (2m x 25m) 13'1"x82' (4m x 25m)



M

SPECS: 3/8" thick, polypropylene needlepunched surface, gel foam latex backing, total weight 0.54 lb/ft2



WARRANTY: Limited 1 year

FOR MORE INFO: mattech.ca/duradot

CUSTOM SIZES: Up to 13'1"x82', HD nosing sold separately

PERMANENT INSTALLATION











- Perfect for wall-to-wall permanent installations. Can also be used outdoors under cover
- Dense corduroy pattern removes debris from shoes and retains gallons of water
- Anti-skid and moisture-resistant gel foam backing
- Optional sewn and glued heavy-duty nosing recommended for luggage, shopping carts etc. Not recommended for applications where storage, rolling and unrolling is required











Resists Crushing

In comparison to all our mats



ROLLS: 3'3"x82' (1m x 25m) Straight cut

6'7"x82' (2m x 25m),



SPECS: 3/8" thick, polypropylene needlepunched surface, gel foam latex backing, total weight 0.54 lb/ft2



FOR MORE INFO: mattech.ca/obdura

WARRANTY: Limited 1 year




CUSTOM SIZES: Up to 6'7"x82', HD nosing sold separately













For indoor vestibule and lobby with medium traffic up to 500 people/day e.g.: car dealerships, churches, small retail stores, restaurants...

- Unique elevated V-pattern construction scrapes shoes and holds dirt beneath shoe level, while wiping moisture
- Raised borders act as a water dam and prevent water from spilling onto floor
- Skid-resistant rubber backing will effectively grip mat to the floor
- Made from 100% recycled plastic bottles and 20% post-consumer tires







Absorbs Water



Resists Crushing







In comparison to all our mats



MATS: 2'x2'11" / 2'11"x3'10" / 2'11"x4'11" / 2'11"x9'10" 2'11"x19'11" / 3'9"x5'10" / 3'9"x9'10" / 3'9"x19'11" 5'11"x9'10" / 5'11"x19'11"



CUSTOM MATS: 2'11" wide from 10' through 19'11" / 3'9" wide from 8' through 19'11" / 5'11" wide from 6' through 19'11"



SPECS: 3/8" thick, P.E.T. needlepunched surface, rubber backing/borders, total weight 0.63 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/ecoplus

OTHERS

#250


SUPER-SOAKER™











- Elevated construction scrapes shoes and holds dirt beneath shoe level, while wiping moisture
- Raised borders act as a water dam and prevent water from spilling onto floor
- Skid-resistant rubber backing will effectively grip mat to the floor



Scrapes



Absorbs Water



Resists Crushing











MATS: 2'x2'11" / 2'11"x3'9" / 2'11"x4'10" / 2'11"x9'8", 3'9"x5'8" / 3'9"x8'1" / 3'9"x9'11" / 6'x8'10", 6'x9'11" / 6'x11'10"



SPECS: 3/8" thick, polypropylene needlepunched surface, rubber backing/borders, total weight 0.63 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/supersoaker



CUSTOM MATS: Unavailable



- For indoor vestibule and lobby with medium traffic up to 500 people/day e.g.: funeral homes, churches, bowling centres...
- Aesthetic elevated diamond-patterned construction scrapes shoes and holds dirt beneath shoe level, while wiping moisture
- Raised fabric borders act as a water dam and prevent water from spilling onto floor
- Skid-resistant rubber backing will effectively grip mat to the floor





Absorbs Water



Resists Crushing





In comparison to all our mats

MATS: 2'x2'11" / 2'11"x3'10" / 2'11"x4'11" / 2'11"x9'10" 3'9"x5'10" / 3'9"x7'10" / 3'9"x9'10" / 6'x7'6" / 6'x11'7"





SPECS: 3/8" thick, polypropylene needlepunched surface, rubber backing/borders, total weight 0.63 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/supersoakerd







#254: Double-fan end





#252-253-254






CHARCOAL







- Aesthetic elevated diamond-patterned construction scrapes shoes and holds dirt beneath shoe level, while wiping moisture
- Raised fabric borders act as a water dam and prevent water from spilling onto floor
- Skid-resistant rubber backing will effectively grip mat to the floor



Scrapes



Absorbs Water



Resists Crushing



In comparison to all our mats



MATS:

#252 Half oval: 2'11"x1'9" / 6'x3'5" #253 Single-fan end: 2'11"x5'5" / 2'11"x6'5",

3'9"x7'10" / 3'9"x11'9" / 6'1"x10'10"

#254 Double-fan end: 3'9"x9'9" / 3'9"x13'8"



SPECS: 3/8" thick, polypropylene needlepunched surface, rubber backing/borders, total weight 0.63 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/supersoakerf



WALK-N-CLEAN™

SPECIALITY







• For indoor applications requiring critical cleanliness e.g.: cleanrooms, laboratories, curling ice rinks...

 60 shoe-cleaning tacky sheets treated with an anti-microbial agent protect against growth of bacteria, mold and mildew

- Nontoxic refillable frame with a slip resistant backing
- · Frame made from 50% recycled material







MATS: Single tray: 2'8"x2'2", double tray: 2'8"x4'3", Refill (case of 4 replacement pads)



CUSTOM MATS: Unavailable



SPECS: 1/8" thick, polyethylene backing, total weight 8 lbs for single tray, 16 lbs for double tray, 12 lbs for refill (4 pads)



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/walknclean




#990 CHAIR MATS

- Commercial-quality chair mats for offices allow desk chairs to move effortlessly
- Available in different models for all types of carpet and flooring



#290 VELCRO® STRIPS

- Self-applied adhesive Velcro® strips to secure mat to loop-pile carpeting
- · Can be easily applied to most vinyl backed products
- Available in 4" wide strips cut to length or by the 75' roll



MAT-LOCK™ BACKING

- Slip-resistant backing to secure mat to hard surfaces such as wood, ceramic tile, marble, linoleum, etc.
- Factory applied to most vinyl backed products



PEEL-N-STICK™ NOSING

- Loose vinyl nosing to be applied to ends of vinyl backed mat
- No glue required means quick and easy installation.
 For instructions, visit mattech.ca/nosing
- Available in standard rolls of 3/4" x 100' or heavyduty rolls of 1 1/2" x 50'
- Regular nosing also available. Glue sold separately.










RUG-HUGGER™ BACKING


- Anti-slip backing to reduce mat movement on cut-pile carpets
- Factory applied to most vinyl backed products

Ask our customer service for more information on these accessories



#296 TACK-TAPE™

- Specially designed double-sided tape for securing foam products and vinyl backed carpet mats to floors
- Available in 4" x 250'



LOGO COLLECTION

Welcome to the **Logo Collection**, the perfect choice to promote and develop your business. All our mats are efficient, elegant and will create a lasting first impression.





Molded thermo-plastic logo

- For outdoor/indoor entrance and lobby with light traffic less than 125 people/day e.g.: boutiques, side entrances, garages...
- Molded thermo-plastic logo offers excellent colour tones and shades with unparalleled detail and clarity
- Slim profile facilitates the opening of doors
- No minimum qty / no set-up charge
- Bi-level durable nitrile rubber construction provides good traction in wet conditions





In comparison to all our mats

Scrapes



Absorbs



Resists Crushing



up to 150 available logo colours



MATS: 2'5"x2'10" / 2'10"x4'6" / 2'10"x9'3" / 3'9"x5'7" 3'9"x7'11" / 5'8"x5'8" / 5'11"x8'



CUSTOM MATS: Unavailable



SPECS: 1/4" thick, nitrile rubber construction, total weight 1.15 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/crowntredp



MARATHON™ GRAPHIC INLAY

HEAVY TRAFFIC



- For indoor vestibule and lobby with heavy traffic over 1,500 people/day e.g.: shopping malls, airports, high schools, universities...
- High-definition logo printed on dense nylon fibres and inserted into the mat to create a strong visual message
- Dense berber pattern removes debris from shoes and retains gallons of water
- No minimum qty / no set-up charge
- Thick ThermoFlex[™] backing for superior floor protection





Scrapes



Absorbs Water



Resists Crushing







up to 150 available logo colours

In comparison to all our mats



MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 3/8" thick, polypropylene needlepunched surface, nylon inlay, ThermoFlex™ vinyl backing/borders, total weight 0.93 lb/ft²



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/marathoninlay











High-definition graphic inlay



BLACK/

BROWN

- · For indoor vestibule and lobby with med-heavy traffic up to 1,500 people/day e.g.: hotels, drug stores, casinos, large retail stores...
- High-definition logo printed on dense nylon fibres and inserted into the mat to create a strong visual message
- Dense dual fibre construction for well-balanced dirt scraping and water retention performance
- No minimum qty / no set-up charge
- ThermoFlex[™] backing for superior floor protection



In comparison to all our mats







Resists Crushing







up to 150 available logo colours



MATS: 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 7/16" thick, loop-pile polypropylene/nylon surface, nylon inlay, Thermoflex vinyl backing/borders, total weight 0.82 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/oxfordeliteinlay

CROSS-OVER™ GRAPHIC INLAY



Scraping fibres













High-definition graphic inlay



GREEN



- High-definition logo printed on dense nylon fibres and inserted into the mat to create a strong visual message
- Attractive two-tone colour pattern hides dirt and keeps entrance clean
- No minimum qty / no set-up charge
- ThermoFlex[™] backing for superior floor protection





Absorbs Water



Resists Crushing





up to 150 available logo colours





MATS: 3'x4', 3'x5', 3'x10', 4'x6', 4'x8', 4'x10', 6'x10'



CUSTOM MATS: Up to 11'9"x60'



SPECS: 5/16" thick, loop-pile polypropylene surface, nylon inlay, Thermoflex vinyl backing/borders, total weight 0.75 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/crossoverinlay





High definition printing

- For indoor areas with med-heavy traffic up to 1,500 people/day e.g.: hotel counters, drug store aisles, elevators...
- High-definition printed nylon mat offers up to 10 times the definition of regular printed mat

- ThermoFlex[™] backing for superior floor protection





Scrapes Dirt



Absorbs Water



Resists Crushing





Your design over the entire surface



up to 150 available logo colours



MATS: 2'11"x4'11" / 2'11"x9'11" / 3'9"x5'9" / 3'9"x7'9" 4'10"x7'11" / 5'8"x9'11"



CUSTOM MATS: Up to 5'8"x40'



SPECS: 5/16" thick, cut-pile nylon fibres, ThermoFlex™ vinyl backing/borders, total weight 0.74 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/jetprinthd

Printed nylon

BASE COLOURS

BURGUNDY

GREEN





EMERALD GREEN









LIGHT GOLD

CHARCOAL





NAVY

ORANGE









#030

MEDIUM TRAFFIC



- · For indoor areas with medium traffic up to 500 people/day e.g.: kindergarten corridors, restaurant waiting areas, retail store aisles...
- · Printed nylon surface
- Retains liquid and fine dirt
- No minimum qty / no set-up charge
- Rubber cleated backing with nibs for maximum skid resistance



In comparison to all our mats

Scrapes



Absorbs Water



Resists Crushing



up to 300 available logo colours



MATS: 2'11"x3'11" / 2'11"x4'11" / 2'11"x9'11" / 3'9"x5'9" 4'10"x7'11" / 3'9"x9'11" / 5'8"x9'11"



SPECS: 5/16" thick, cut-pile nylon fibres, rubber backing/borders, total weight 0.45 lb/ft2

WARRANTY: Limited 1 year FOR MORE INFO: mattech.ca/jetprint



STANDING FOR LONG PERIODS CAUSES FATIGUE¹

Prolonged work in a standing, stationary position, slows the **circulation of blood** through the veins, making the heart **work harder**, which equates to a prolonged physical effort. This is the main cause of fatigue.


Are you familiar with the consequences of fatigue?

- Diminished worker productivity
- Increased risk of accident
- Reduced worker motivation and morale

ERGONOMICS AS THE SOLUTION...

Ergonomics is the science of designing the workplace to maximize productivity by reducing fatigue and discomfort.

There is a significant correlation between the floor surface of a workplace and the fatigue of workers.² This situation can be easily rectified with proper ergonomic mats.





THE LACK OF ERGONOMICS LEADS DIRECTLY TO MUSCULOSKELETAL DISORDERS (MSDS)

Musculoskeletal disorder is a condition that develops gradually as a result of repeated trauma.



POOR BLOOD

ORGANIC WASTE BUILD-UP

MSD is the second most costly disease in Canada, more so than Cancer!3

YOUR EMPLOYEES ARE AT **RISK OF MSD!**

- Lower back pain is more frequent when 25% of 8 hour work shifts are in a standing position. 4
- 83% of workers in the manufacturing sector have chronic feet/leg and lower back problems.⁵
- Most commonly reported problems are:⁶
 - Disc herniation (lower back)
 Venous pooling (legs and feet)
 Osteoarthritis (articulations)

THE **COST OF MSD** IN CANADA:

- Canada's claim costs: 20 billion dollars per year.
- Workplace claim due to MSD: 42% of Ontario lost-time claim and cost claim.8
- From 2003 to 2007, 13,382,811 work days were compensated due to MSD in Quebec.⁹

- (Health Canada, Economic Burden of Illness in Canada 1998, 2002, www.hc-sc.gc.ca)
- (Ryan, G.A., 1989, The prevalence of musculo-skeletal symptoms in supermarket workers Ergonomics 32 Buckle, P., 1986, Musculo-skeletal disorders and associates factors)
- 5. (King, M.S., 2002, A comparison of the effects of floor mats and shoe in-soles on standing fatigue
- Applied Ergonomics 33)

 6. (USA Bureau Of Labor, www.bls.gov)
- (Canadian Centre for Occupational Health & Safety (estimate of 1998), www.ccohs.ca)
- 8. (Workplace Safety and Insurance Board, 1996 2004, www.wsib.on.ca)
 9. (Comité Santé et Sécurité au Travail, 2007, www.csst.qc.ca)

^{1. (}Johansson, K., 1993, Advances in Industrial Ergonomics and Safety V. - Djupsjobacka, M., 1994 and 1995, Influences on [...] of arachidonic acid, Influences on [...] of bradykinin and 5HT.) (Redfern, M.S., 1987, University of Michigan)

WHY ANTI-FATIGUE?

Softness: allows proper weight distribution while reducing the impact on the joints, allowing a more natural position and reducing stress on pressure points.

Support: provides resilience and bounce. As the worker's foot presses into the mat, the matting pushes back against the foot enabling the return of energy and preventing blood from stagnating.



- Relieve tightened muscles
- Increase blood flow from compressed blood vessels
- Reduce stress on spine and back resulting from static movements
- Relieve stress on knee, foot and ankle joint pressure points resulting from long standing

WHATIS



Our Zedlan products offer incomparable advantages:

- More energy! Zedlan™ sponge has three times the bounce of traditional anti-fatigue products
- More durable! Zedlan™ sponge outwears similar products by nearly three to one
- Less slips and falls! Zedlan[™] sponge offers superior traction compared to regular foam products
- Extreme flexibility! Zedlan™ sponge will keep its anti-fatigue property, even under freezing temperatures
- Natural anti-static! Unlike other sponge products, Zedlan™ offers natural resistivity of 10⁹ ohms per square



We truly believe in our product and stand behind it. You can therefore rest assured in giving us your **total confidence**.

Your satisfaction is our priority!

AT MAT TECH, INNOVATION IS KEY.

We have the capacity and initiative to use our imagination to find more matting solutions.

Here are our latest innovations.

WD Elegance™: a unique Ergonomic mat that can be both comfortable and elegant.

WD FoodMaster™: the only ergonomic mat that has a specially formulated surface that resists spillage of fat, oil, alcohol and sugar. Specifically developed for a butcher and pastry cook.







COMFORT+ Commercial solutions offering the highest anti-fatigue properties Wear-Bond' Comfort-King" Comfort-King Comfort-Kin		PRODUCT NAME	AREA / USAGE	ZEDLAN COMFORT	TOTAL CONFIDENCE WARRANTY	
### COMMETCR: Commercial solutions offering the highest anti-fatigue properties		WD™ Elegance	Dry areas	✓	~	pg.33
Commercial solutions ofteng the highest anti-fatigue properties Wear-Bond* Comfort-King* Dry areas Comfort-King* Dry areas Vear-Bond* Comfort-King* Dry areas Vear-Bond* Comfort-King* Dry areas Vear-Bond* Comfort-King* Dry areas Vear-Bond* Tuff-Spun* Dry areas Pag 37 Safewalk* Vear-Bond* Tuff-Spun* Dry areas Pag 38 Vear-Bond* Tuff-Spun* Dry areas Pag 38 Vear-Bond* Tuff-Spun* Vear-Bond* Tuff-Spun* Dry areas Pag 39 Vear-Bond* Tuff-Spun* Dry areas Pag 39 Vear-Bond* Tuff-Spun* Dry areas Pag 38 Vear-Bond* Tuff-Spun* Dry areas Pag 39 Vear-Bond* Dry areas Pag 40 Vear-Bond* Dry areas Pag 44 Dry areas Vear-Bond* Dry areas Pag 45 Safety-Step* Solid-Top Mockedar / Dry areas Vear-Bond* Dry areas Pag 45 Safety-Step* Dry Solid-Top Mockedar / With areas Vear-Bond* Dry area	Commercial solutions	WD™ FoodMaster	Dry/Food Prep. areas	✓	~	pg.33
offering the highest anti-fatigue properties Comfort-King* Sheer-Grip* Wear-Bond* Tuff-Spun* CLASSIC Commercial solutions of terring well-balanced durability and confort VALUE Safe-Flow Plus* Pro-Tekt* Runners Tuff-Spun* Cright duty applications Tuff-Spun* Tuff-Spun* Tuff-Spun* Tuff-Spun* Tuff-Spun* Tuff-Spun* Cright duty applications Tuff-Spun* T		WD™ Traction Plus	Dry areas	~	~	pg.34
Sheer-Grip** West areas: Pa.35 CLASSIC Commercial solutions offering well-balanced durability and comfort VALUE Safe-Flow Plus* Pro-Tekt** Runners Floor protection Floor protection Floor protection Pa.41 Safewalk-Light** TC Wide Rib Rubber Runners Floor protection Pa.42 Workers-Delight** Deck Plate Industrial grade solutions with maximum durability and traction PERFORMANCE Industrial grade Solutions with maximum durability and traction OTHERS OTHERS PERFORMANCE Belectically Conductive Deck Plate Dura-Step* Belectically Conductive Deck Plate Tothers Allishand Pa.43 Anti-static Pa.44 Anti-static Pa.45 Anti-static Pa.49 Military S / DP Switchboards Non-conductive Pa.55 Corrugated Switchboard Non-conductive Pa.55		Wear-Bond™ Comfort-King™	Dry areas	~	~	pg.34
CLASSIC Commercial solutions offering well-balanced durability and comfort VALUE Economical solutions for light duty applications For light duty applications VICE Industrial grade solutions with maximum durability and traction OTHERS Wear-Bond" Tuff-Spun® Dry areas Pp.37 Safewalk" Wethfoothers areas Pp.38 Safewalk" Wethfoothers areas Pp.38 Pro-Tekt" Runners Floor protection Pp.39 Tuff-Spun® Dry areas Pp.41 Safewalk-Light" TC Witchen areas Pp.42 Wide Rilb Rubber Runners Floor protection Pp.42 Workers-Delight" Deck Plate Dry areas Pp.42 Workers-Delight" Deck Plate Dry areas Pp.44 Spark-Safe" Wetding / Dry areas Pp.44 Spark-Safe" Wetding / Dry areas Pp.45 Safety-Step" Solid-Top Modular / Dry areas Pp.45 Safety-Step" Modular / Dry areas Pp.46 Dura-Step" Modular / Dry areas Pp.47 Ergo X-Treme" Modular / Dry areas Pp.47 Ergo X-Treme" Modular / Dry areas Pp.47 Electrically Conductive Deck Plate Arti-static Pp.49 Stat-Control" Arti-static Pp.49 Military S / DP Switchboards Non-conductive Pp.55	anti-fatigue properties	Comfort-King™	Dry areas	~	~	pg.35
CLASSIC Commercial solutions offering well-balanced durability and comfort Safewalk** Safewalk** Pro-Tekt* Runners Floor protection Dry areas Peg. 38 Pro-Tekt* Runners Peg. 41 Safewalk*-Light* BK Wet areas Peg. 41 Safewalk*-Light* TC Wide Rib Rubber Runners Peg. 42 Workers-Delight* Deck Plate Dry areas Peg. 44 Spark-Safe* Weldring / Dry areas Peg. 45 Safety-Step* Solid-Top Modular / Dry areas Peg. 45 Safety-Step* Perforated Modular / Wet areas Peg. 46 Dura-Step* Modular / Oily areas Peg. 47 Ergo X-Treme* Deck Plate / Sta-Kleen* Runner Pioor protection Peg. 48 Peg. 47 Pe		Sheer-Grip™	Wet areas	-	~	pg. 35
Commercial solutions offering well-balanced durability and comfort Safe-Flow Plus" Pro-Tekt" Runners Floor protection Pro-Tekt" Runners Floor protection Pro-Tekt" Runners Floor protection Pro-Tekt" Runners Floor protection Pro-Tekt" Runners Pro-Tekt" Runners Floor protection Pro-Tekt" Runners Pro-Tekt"		Wear-Bond™ Tuff-Spun®	Dry areas	-	-	pg.37
Offering well-balanced durability and comfort Safe-Flow Plus" Pro-Tekt" Runners Tuff-Spun® Dry areas Poy 41 Safewalk-Light" TC Wide Rib Rubber Runners Welf-pood prep, areas Poy 42 Wet areas Poy 42 Workers-Delight" Deck Plate Dry areas Welfandy Dry areas Workers-Delight" Deck Plate Dry areas Welfing / Dry areas Welfing / Dry areas Poy 44 Spark-Safe" Welding / Dry areas Welfing / Dry areas Poy 45 Safewalk-Light" Deck Plate Dry areas Poy 45 Safewalk-Light" Deck Plate Dry areas Poy 45 Safety-Step" Perforated Diamond-Deluxe" w/ Grit-Safe" Dura-Step" Modular / Dry areas Poy 46 Diamond-Deluxe" w/ Grit-Safe" Dura-Step" Modular / Dry areas Poy 47 Ergo X-Treme" Modular / Oily areas Poy 49 Stat-Control" Anti-static Poy 49 Stat-Control" Anti-static Poy 49 Military S / DP Switchboards Non-conductive Non-conductive Poy 50 Corrugated Switchboard Non-conductive Non-conductive Poy 45 Non-conductive Poy 47 Poy 48 Non-conductive Poy 47 Poy 47 Poy 48 Non-conductive Poy 47 Poy 49 Non-conductive Poy 49 Non-conductive Poy 49 Non-conductive Poy 49 Non-conductive Poy 40 Non-conductive Poy 40 Non-conductive Poy 40 Non-conductive Poy 41 Non-conductive Poy 41 Non-conductive Poy 41 Non-conductive Poy 42 Non-conductive Poy 45 Non-conductive Poy 47 Poy 48 Non-conductive Poy 49 Non-conductive Poy 49 Non-conductive Poy 49 Non-conductive Poy 40 Non-conductive	CLASSIC	Cushion-Step®	Dry areas	-	-	pg.37
Safe-Flow Plus" Wel/Food prep. areas	Commercial solutions	Safewalk™	Wet/Kitchen areas	-	-	pg.38
Tuff-Spun* Dry areas		Safe-Flow Plus™	Wet/Food prep. areas	-	-	pg.38
Safewalk-Light" BK Safewalk-Light TC Wide Rib Rubber Runners Workers-Delight" Deck Plate Industrial Deck Plate Dry areas Safety-Step" Solid-Top With maximum durability and traction Dura-Step" Ergo X-Treme" Modular / Oily areas Floor protection Safety-Step" Runner Modular / Oily areas Worker s-Delight" Deck Plate Dry areas Safety-Step" Modular / Wet areas Safety-Step" Modular / Wet areas Safety-Step" Modular / Oily areas Modular / Oily areas Safety-Step" Modular / Oily areas Mod		Pro-Tekt™ Runners	Floor protection	-	-	pg.39
Safewalk-Light" BK Safewalk-Light TC Wide Rib Rubber Runners Workers-Delight" Deck Plate Industrial Deck Plate Dry areas Safety-Step" Solid-Top With maximum durability and traction Dura-Step" Ergo X-Treme" Modular / Oily areas Floor protection Safety-Step" Runner Modular / Oily areas Worker s-Delight" Deck Plate Dry areas Safety-Step" Modular / Wet areas Safety-Step" Modular / Wet areas Safety-Step" Modular / Oily areas Modular / Oily areas Safety-Step" Modular / Oily areas Mod		Tuff-Snun®	Dry areas			ng //1
Safewalk-Light" TC Kitchen areas	VALUE			_	_	
Wide Rib Rubber Runners Floor protection Pg. 42 Workers-Delight** Deck Plate Industrial Deck Plate Dry areas Velding / Dry areas Safety-Step** Solid-Top Industrial grade solutions With maximum durability and traction Modular / Dry areas Safety-Step** Perforated Diamond-Deluxe** w/ Grit-Safe** Dura-Step** Modular / Dily areas Pg. 45 Dura-Step** Modular / Dily areas Pg. 46 Dura-Step** Modular / Dily areas Pg. 47 Deck Plate / Sta-Kleen** Runner Electrically Conductive Deck Plate Anti-static Anti-static Mon-conductive Pg. 50 Corrugated Switchboard Non-conductive Pg. 51	Economical solutions	-		_	_	
Workers-Delight" Deck Plate Dry areas Dry	for light duty applications	-	Floor protection	-	-	
Industrial Deck Plate Dry areas -			·			1.3
PERFORMANCE Industrial grade solutions with maximum durability and traction Safety-Step** Perforated Diamond-Deluxe** w/ Grit-Safe** Dura-Step** Modular / Oity areas Dura-Step** Modular / Oity areas Deck Plate / Sta-Kleen** Runner Electrically Conductive Deck Plate Anti-static Anti-static OTHERS Safety-Step** Solid-Top Modular / Oity areas Modular / Oity areas Pg. 45 Pg. 46 Diamond-Deluxe** w/ Grit-Safe** Oity areas Modular / Oity areas Modular / Oity areas Pg. 47 Pg. 47 Pg. 48 Stat-Control** Anti-static Pg. 49 Military S / DP Switchboards Non-conductive Non-conductive Pg. 51						
PERFORMANCE Industrial grade solutions with maximum durability and traction Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Ergo X-Treme™ Deck Plate / Sta-Kleen™ Runner Electrically Conductive Deck Plate Stat-Control™ Anti-static Corrugated Switchboard Non-conductive Pg.45 Modular / Dry areas - W pg.46 Diamond-Deluxe™ w/ Grit-Safe™ Diy areas - W pg.47 Pg.47 Pg.49 Anti-static - Pg.49 Non-conductive - Pg.50 Corrugated Switchboard Non-conductive - Pg.51		Workers-Delight™ Deck Plate	Dry areas	✓	~	
Safety-Step™ Perforated Modular / Wet areas			,	-	-	
With maximum durability and traction Diamond-Deluxe™ w/ Grit-Safe™ Oily areas - ✓ pg.47 Ergo X-Treme™ Modular / Oily areas - ✓ pg.47 Deck Plate / Sta-Kleen™ Runner Floor protection - - pg.48 Electrically Conductive Deck Plate Anti-static - - pg.49 Stat-Control™ Anti-static - - pg.49 Military S / DP Switchboards Non-conductive - - pg.50 Corrugated Switchboard Non-conductive - - pg.51		Industrial Deck Plate	Dry areas	-	✓	pg.44
Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Modular / Oily areas Pg.47 Ergo X-Treme™ Modular / Oily areas Pg.47 Deck Plate / Sta-Kleen™ Runner Floor protection Pg.48 Electrically Conductive Deck Plate Anti-static Anti-static Pg.49 Stat-Control™ Anti-static Pg.49 Military S / DP Switchboards Non-conductive Non-conductive Pg.50 Corrugated Switchboard		Industrial Deck Plate Spark-Safe™	Dry areas Welding / Dry areas	- - -	- - -	pg.44
Ergo X-Treme™ Modular / Oily areas -	Industrial grade solutions	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top	Dry areas Welding / Dry areas Modular / Dry areas	- - -	- - - -	pg.44 pg.45 pg.45
Deck Plate / Sta-Kleen™ Runner Electrically Conductive Deck Plate Anti-static Anti-static Anti-static Pg.49 Stat-Control™ Anti-static Non-conductive Corrugated Switchboard Non-conductive Pg.50	Industrial grade solutions with maximum durability	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas	- - - -	 	pg.44 pg.45 pg.45 pg.46
Electrically Conductive Deck Plate Anti-static Anti-static Anti-static Pg. 49 Stat-Control [™] Anti-static Non-conductive Pg. 50 Corrugated Switchboard Non-conductive Pg. 51	Industrial grade solutions with maximum durability	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas	- - - - -	 	pg.44 pg.45 pg.45 pg.46 pg.46
Stat-Control™ Anti-static - pg.49 Military S / DP Switchboards Non-conductive - pg.50 Corrugated Switchboard Non-conductive - pg.51	Industrial grade solutions with maximum durability	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas Modular / Oily areas	- - - - - -	- - - - - - -	pg.44 pg.45 pg.45 pg.46 pg.46 pg.47
OTHERS Military S / DP Switchboards Non-conductive Pg.50 Corrugated Switchboard Non-conductive Pg.51	Industrial grade solutions with maximum durability	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Ergo X-Treme™	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas Modular / Oily areas Modular / Oily areas		- - - - - - -	pg.44 pg.45 pg.45 pg.46 pg.46 pg.47
Corrugated Switchboard Non-conductive - pg.51	Industrial grade solutions with maximum durability	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Ergo X-Treme™ Deck Plate / Sta-Kleen™ Runner	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas Modular / Oily areas Modular / Oily areas Floor protection	- - - - - -	- - - - - - -	pg.44 pg.45 pg.45 pg.46 pg.46 pg.47 pg.47
	Industrial grade solutions with maximum durability	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Ergo X-Treme™ Deck Plate / Sta-Kleen™ Runner Electrically Conductive Deck Plate	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas Modular / Oily areas Modular / Oily areas Floor protection Anti-static	- - - - - - -	- - - - - - -	pg.44 pg.45 pg.45 pg.46 pg.46 pg.47 pg.47 pg.48
Dura-Shock™ Gym/lce rink - pg.51	Industrial grade solutions with maximum durability and traction	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Ergo X-Treme™ Deck Plate / Sta-Kleen™ Runner Electrically Conductive Deck Plate Stat-Control™	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas Modular / Oily areas Modular / Oily areas Floor protection Anti-static Anti-static	- - - - - - -	- - - - - - -	pg.44 pg.45 pg.45 pg.46 pg.47 pg.47 pg.48 pg.49
	Industrial grade solutions with maximum durability and traction	Industrial Deck Plate Spark-Safe™ Safety-Step™ Solid-Top Safety-Step™ Perforated Diamond-Deluxe™ w/ Grit-Safe™ Dura-Step™ Ergo X-Treme™ Deck Plate / Sta-Kleen™ Runner Electrically Conductive Deck Plate Stat-Control™ Military S / DP Switchboards	Dry areas Welding / Dry areas Modular / Dry areas Modular / Wet areas Oily areas Modular / Oily areas Modular / Oily areas Floor protection Anti-static Anti-static Non-conductive		- - - - - - -	pg.44 pg.45 pg.46 pg.47 pg.47 pg.48 pg.49 pg.50



COMFORT+

COMMERCIAL SOLUTIONS OFFERING
THE HIGHEST ANTI-FATIGUE PROPERTIES

Welcome to the **Comfort + Collection**, our most comfortable solutions against fatigue and musculoskeletal disorders.

These commercial grade mats will provide excellent support, slip resistance and improved insulation.









TEXTURE GREY

TEXTURE BLACK

TEXTURE SILVER

For commercial applications in dry areas e.g.: pharmacies, medical and dental offices, hotels...

- · Highly energized Zedlan sponge combines softness and resilience for exceptional relief
- Attractive pattern choices to compliment any decor
- Durable surface is easy-to-clean and tolerates high-heels, stools and carts
- Slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces

















In comparison to all our mats

MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x40', 3'x40', 4'x40', 6'x40'



CUSTOM MATS: Up to 6'x40'



SPECS: 9/16" thick, vinyl surface glued to a Zedlan vinyl foam, total weight 1.5 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/wdelegance



DARK GREY



LIGHT GREY

WD™ FOODMASTER

COMFORT+ DRY/FOOD PREP. AREAS



- Highly energized Zedlan sponge combines softness and resilience for exceptional relief
- Specially formulated surface resists occasional spillage of food, sugar, fat, oil, alcohol etc.
- Anti-microbial properties help prevent mold, mildew, and bacterial growth underneath the mat
- Durable surface is easy-to-clean
- Slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces





















MATS: 2'x3', 3'x4', 4'x12'




ROLLS: 2'x60', 4'x60'



CUSTOM MATS: Up to 4'x40'







WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/wdfoodmaster



- · Highly energized Zedlan sponge combines softness and resilience for exceptional relief
- Raised-herringbone top surface affords multi-directional grip for safe movements
- Fusion technology creates an unmatched level of durability by molecularly bonding layers together without the use of adhesives
- · Slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces

Traction




















In comparison to all our mats





ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'



SPECS: 5/8" thick, vinyl surface fused to a Zedlan vinyl foam, total weight 1.7 lb/ft²



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/wdtraction



- For commercial applications in dry areas e.g.: retail stores, car dealers, grocery stores...
- · Highly energized Zedlan sponge combines softness and resilience for exceptional relief
- Offers greater puncture and abrasion resistance compared to our regular Comfort-King™ anti-fatigue mat (pg.35)
- Fusion technology creates an unmatched level of durability by molecularly bonding layers together without the use of adhesives
- Available in pebble (#460) and deck-top (#560) surfaces













GREY PEBBLE





MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'







WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/wbck







- For commercial applications in dry areas e.g.: retail stores, car dealers, grocery stores...
 Highly energized Zedlan sponge combines softness and resilience for exceptional relief
- · Maintains flexibility and anti-fatigue properties even in low temperatures
- Available in standard 3/8" (#440) and supreme 1/2" (#445, 33% more comfort) thicknesses
- Also available with anti-microbial additive or with ground cord for anti-static applications (ask customer service)















MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x60', 3'x60', 4'x60', $6'x60'^*$ * Not available with yellow borders



CUSTOM MATS: Up to 6'x60'



SPECS: #440 3/8" thick, Zedlan vinyl foam, total weight 0.76 lb/ft² #445 1/2" thick, Zedlan vinyl foam, total weight 0.90 lb/ft²



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/comfortking



- For commercial applications in wet areas e.g.: pools, locker rooms, showers, walk-in freezers/coolers...
- · Soft, flexible surface provides excellent fatigue relief
- · Self-draining textured surface is comfortable under foot
- Freeze thaw compatibility allows for durability in kitchens, food prep and processing areas



COMFORT+

WET AREAS



ntitigue













ROLLS: 2'x40', 3'x40', 4'x40'



CUSTOM MATS: Up to 4'x40' Available in grey only



SPECS: 1/2" thick, extruded PVC surface, total weight 1.16 lb/ft²



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/sheergrip



CLASSIC

COMMERCIAL SOLUTIONS OFFERING
WELL-BALANCED DURABILITY AND COMFORT

Welcome to the **Classic Collection**, the perfect choice for good support, slip resistance and improved insulation. These mats have been around for decades and are well known for their quality.



PEBBLE







CLASSIC

DRY AREAS

DECK-TOP

- For commercial applications in dry areas e.g.: retail stores, car dealers, grocery stores...
- Provides good support against muscular fatigue and better slip resistance and insulation than that of cement or ceramic floors
- Offers greater puncture and abrasion resistance compared to our regular Tuff-Spun anti-fatigue mat (pg.41)
- Fusion technology creates an unmatched level of durability by molecularly bonding layers together without the use of adhesives
- Available in pebble (#420 or deck-top (#520) surfaces









#420-520



In comparison to all our mats



MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'



SPECS: 9/16" thick, dual-density vinyl foam, total weight 0.75 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/wbts



CUSHION-STEP™

CLASSIC





- Provides good support against muscular fatigue and better slip resistance and insulation than that of cement or ceramic floors
- Durable surface is easy-to-clean and tolerates high-heels, stools and carts
- Fusion technology creates an unmatched level of durability by molecularly bonding layers together without the use of adhesives









Traction









MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'








WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/cushionstep





#630-635-636 **SAFEWALK**™

CLASSIC WET/KITCHEN AREAS



- For commercial food applications in wet areas e.g.: diswashing areas, kitchens, cafeterias, ski resorts...
- Provides good support against muscular fatigue and better slip resistance and insulation than that of cement or ceramic floors
- · Heavy-duty rubber allows easy drainage of liquids and debris
- Nitrile Rubber blend (terra cotta) required for applications with grease and oil















In comparison to all our mat



MATS: 3'x5', straight cut #630 Black with yellow ramps on 3-sides: 2'2"x3'4" / 3'2"x5'4" / 3'2"x10'4" Black with yellow ramps on 4-sides: 2'4"x3'4" / 3'4"x3'4" / 3'4"x5'4" / 3'4"x10'4"



CUSTOM MATS: Unavailable



SPECS: #635 7/8" thick, rubber with circular drain holes, total weight 2.13 lb/ft² #630 7/8" thick, nitrile rubber with circular drain holes, total weight 2.5 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/safewalk

#648 SAFE-FLOW PLUS™

CLASSIC WET/FOOD PREP. AREAS

- For commercial applications in food preparation areas
 e.g.: butchers, bars, kitchens, food preparation stations...
- Provides good support against muscular fatigue and better slip resistance and insulation than that of cement or ceramic floors
- Specially formulated surface resists oil, grease, chemicals and animal fats while allowing easy drainage of liquids and debris
- · Anti-microbial agent inhibits the growth of odor-causing bacteria and fungi
- · Easy to clean and handle. Launderable.















MATS: 1'11"x2'11" / 2'10"x4'7" / 2'10"x9'5" / 3'8"x5'10"



CUSTOM MATS: Limited availability. Contact Customer Service





BLACK



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/safeflowplus

- For commercial floor protection applications e.g.: special event floors, treadmill mats, warehouse aisles...
- Provides good slip resistance and insulation than that of cement or ceramic floors
- · Pebble surfaced vinyl foam
- · Easy to clean and cut to shape







In comparison to all our mats



ROLLS: 3'x60', 4'x60', 6'x60'



CUSTOM MATS: Up to 6'x60'



 $\textbf{SPECS}: \ 1/8" \ thick, hard \ density \ vinyl \ foam, \ total \ weight \ 0.5 \ lb/ft^2$

BLACK

WET

ENVIRONMENT



WARRANTY: Limited 1 year


FOR MORE INFO: mattech.ca/protekt



WE HAVE ERGONOMIC MATS
FOR EACH ENVIRONMENT

DRY
ENVIRONMENT

OILY



VALUE

ECONOMICAL SOLUTIONS FOR LIGHT-DUTY APPLICATIONS

Welcome to the **Value Collection**, our selection of affordable ergonomic solutions. These mats have proven their capabilities for decades.



- For light commercial applications in dry areas e.g.: retail stores, car dealers, grocery stores...
- Closed-cell sponge optimizes economical comfort and fatigue relief
- Provides good slip resistance and insulation than that of cement or ceramic floors





In comparison to all our mats

MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x60', 3'x60', 4'x60', 6'x60'* * Not available with yellow borders



CUSTOM MATS: Up to 6'x60'



SPECS: #410-411 3/8" thick, vinyl foam, total weight 0.67 lb/ft² #430-431 5/8" thick, vinyl foam, total weight 1.33 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/tuffspun

SAFEWALK-LIGHT™ BK

VALUE WET AREAS



- Provides good support against muscular fatigue and better slip resistance and insulation than that of cement or ceramic floors
- Circular rubber holes allow easy drainage of liquids and debris
- Low profile mat with molded bevelled borders for increased safety
- General purpose. Nitrile Rubber blend (#646, see pg.42) required for applications with grease and oil













In comparison to all our mats



MATS: 3'x5', 3'x9'9", 3'x14'6", 3'x19'3"



CUSTOM MATS: Unavailable



SPECS: #645 1/2" thick, rubber with circular drain holes, total weight 1.80 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/safewalklc



- Provides good support against muscular fatigue and better slip resistance and insulation than that of cement or ceramic floors
- Resists applications with grease and oil
- · Circular rubber holes allow easy drainage of liquids and debris
- Low profile mat with molded bevelled borders for increased safety

















In comparison to all our mat



MATS: 3'x5', 3'x9'9", 3'x14'6", 3'x19'3"



CUSTOM MATS: Unavailable



SPECS: #646 1/2" thick, nitrile rubber blend with circular drain holes, total weight 1.93 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/safewalkItc

WIDE RIB RUBBER RUNNER

VALUE FLOOR PROTECTION

- For light floor protection applications e.g.: special event floors, treadmill mats,
- · Provides good slip resistance and insulation than that of cement or ceramic floors
- Rib surfaced extruded rubber

warehouse aisles...

· Easy to clean and cut to shape













In comparison to all our mats



ROLLS: 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'




SPECS: 1/8" thick, extruded rubber sheet, total weight 0.62 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/widerib



PERFORMANCE

INDUSTRIAL GRADE SOLUTIONS

Welcome to the **Performance Collection**, our toughest solutions for a safe and comfortable work environment. These mats will provide maximum durability and traction in the harshest conditions.








BLACK&YELLOW

- · Highly energized Zedlan sponge combines softness and resilience for exceptional relief
- · Heavy-duty, slip-resistant surface tolerates cart traffic
- Fusion technology creates an unmatched level of durability by molecularly bonding layers together without the use of adhesives
- Slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Available in two thicknesses: 5/8" (#540) and 7/8" (#550, 25% softer for more comfort)





In comparison to all our mats















MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'



SPECS: #540 7/8" thick, vinyl surface fused to a Zedlan vinyl foam, total weight 1.73 lb/ft2 #550 5/8" thick, vinyl surface fused to a Zedlan vinyl foam, total weight 1.87 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/wddp





#500-505 INDUSTRIAL DECK PLATE

PERFORMANCE DRY AREAS







- Sponge foam backing provides comfort and fatigue relief
- Heavy-duty, slip-resistant surface tolerates cart traffic
- Fusion technology creates an unmatched level of durability by molecularly bonding layers together without the use of adhesives
- Available in in two thicknesses: 9/16" (#500) and 7/8" (#505, 50% softer for more comfort)





Antifatique



Durability







In comparison to all our mats



MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'



SPECS: #500 9/16" thick, vinyl surface fused to a vinyl foam, total weight 1.53 lb/ft² #505 7/8" thick, vinyl surface fused to a vinyl foam, total weight 1.77 lb/ft2




WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/inddeckplate

#580 SPARK-SAFE™



- Sponge foam backing provides comfort and fatigue relief
- Specially formulated spark-resistant surface (passes FMVSS302) repels sparks and hot metal shards









In comparison to all our mats



MATS: 2'x3', 3'x5', 3'x12'



ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'



SPECS: 1/2" thick, treated rubber surface fused to a rubber foam, total weight 1.2 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/sparksafe

#685

SAFETY-STEP™ SOLID-TOP

PERFORMANCE MODULAR/DRY AREAS

BLACK w/

OPTIONAL YELLOW RAMPS



Built-in connectors



Optional bevelled male/female ramps



- Provides good support against muscular fatigue and better slip resistance and insulation than that of a cement floor
- · Built-in connectors along two sides allow tiles to lock together for custom installations
- · Heavy-duty rubber allows easy drainage of liquids and debris
- · Multi-nibbed backing provides aeration so floors can dry quickly
- · Ramps available for increased safety











In comparison to all our mats



TILES: 3'x3', 3"x3'3" male/female ramps



SPECS: #680 5/8" thick, SBR rubber compound, total weight 1.33 lb/ft² #681 5/8" thick, nitrile rubber compound, total weight 1.33 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/safetystepp







Optional bevelled male/female ramps

- For industrial applications in wet areas e.g.: irregular and large work cells...
- Provides good support against muscular fatigue and better slip resistance and insulation than that of a cement floor
- Built-in connectors along two sides allow tiles to lock together for custom installations
- Heavy-duty rubber allows easy drainage of liquids and debris
- Multi-nibbed backing provides aeration so floors can dry quickly
- Ramps available for increased safety













BLACK W/ OPTIONAL BLACK RAMPS (GENERAL PURPOSE)

TERRA COTTA w/ **OPTIONAL** TERRA COTTA RAMPS (GREASE RESISTANT)

Impregnated grit





TILES: 3'x3', 3"x3'3" male/female ramps



SPECS: #680 5/8" thick, SBR rubber compound, total weight 1.33 lb/ft2 #681 5/8" thick, nitrile rubber compound, total weight 1.33 lb/ft2



WARRANTY: Limited 1 year




FOR MORE INFO: mattech.ca/safetystepp





PERFORMANCE OILY AREAS





- Durable open loop design elevates worker and allow fluids to flow through, promoting a drier surface
- Specially formulated oil-resistant vinyl and high-traction Grit-Safe[™] coating provide extreme slip resistance in highly oily areas













MAT: 3'x5'




ROLLS: 3'x40', 4'x40'



CUSTOM MATS: up to 4'x40'





BLACK



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/diamonddgs





Built-in connectors

Optional bevelled male/female ramps

Traction



- Provides good support against muscular fatigue and better slip resistance and insulation than that of a cement floor
- Built-in connectors along two sides allow tiles to lock together for custom installations
- Heavy-duty 100% nitrile rubber tile is resistant to a wide range of oils and fluids
- Optional high-traction Grit-Safe™ coating provides extreme slip resistance in highly oily areas
- Ramps available for increased safety











BLACK W/ GRIT SAFE & OPTIONAL YELLOW RAMPS

BLACK w/

OPTIONAL BLACK RAMPS

In comparison to all our mats



TILES: 3'x3', 3"x3'3" male/female ramps



SPECS: #752 5/8" thick, nitrile rubber compound, total weight 1.89 lb/ft² #753 5/8" thick, nitrile rubber compound with impregnated grit, total weight 2.22 lb/ft2




WARRANTY: Total Confidence




FOR MORE INFO: mattech.ca/durastep

#775-779 ERGO X-TREME™

PERFORMANCE OILY AREAS



Assembly plan



- · Provides good support against muscular fatigue and better slip resistance and insulation than that of a cement floor
- Aggressively patterned top surface ensures maximum foot traction on slippery environments
- Heavy-duty 100% nitrile rubber tile is resistant to a wide range of oils and fluids
- Optional high-traction Grit-Safe coating provides extreme slip resistance in highly oily areas
- Ramps and connectors available for increased safety











In comparison to all our mats



TILES: 1'6"x1'6" (8 per case), 3"x3'3" ramp, 1'6" connector. Pre-constructed mats: 3'x4'6", 3'x6', 3'x9'



SPECS: #775-776 3/4" thick, nitrile rubber compound, total weight 2.22 lb/ft² #779 3/4" thick, nitrile rubber compound with impregnated grit, total weight 2.22 lb/ft2



WARRANTY: Total Confidence



FOR MORE INFO: mattech.ca/egoxtreme





For industrial floor protection applications
 e.g.: factory and warehouse aisles, assembly stations...

- Provides good slip resistance and insulation
- · Distinctive raised-diamond pattern increases traction and durability
- Resistant to most common chemicals
- · Easy to clean and cut to shape







In comparison to all our mats.



ROLLS: 2'x75', 3'x75', 4'x75'



CUSTOM MATS: Up to 4'x75'



SPECS: 5/32" thick, extruded vinyl, total weight 0.9 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/deckplate

#800 STA-KLEEN™ RUNNER FLOOR PROTECTION

BLACK

GREY

- For industrial floor protection applications
 e.g.: factory and warehouse aisles, assembly stations...
- · Provides good slip resistance and insulation
- Industrial grade round-rib vinyl runner
- · Easy to clean and cut to shape







In comparison to all our mats.



ROLLS: 2'x105', 3'x105', 4'x105'



CUSTOM MATS: Up to 4'x105'



SPECS: 1/8" thick, extruded vinyl, total weight 0.71 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/stakleen



- For anti-static applications in dry areas e.g.: computer workstations and terminals, electrical rooms...
- Sponge foam backing provides comfort and fatigue relief
- Quickly drains static charge to protect components and equipment
- Statics dissipative surface resistivity of 106 ohms per square
- Bevelled edges for improved safety











MATS: 2'x3', 3'x5', 3'x12', include one installed ground cord



ROLLS: 3'x75'



CUSTOM MATS: Up to 3'x75'.

Stock mats include one installed ground cord

Need one ground cord per 10' (sold separately)



SPECS: 9/16" thick, vinyl surface fused to a vinyl foam, surface electrical properties: 1/100 sec from 20,000 volts to harmless, total weight 1.50 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/ecdp

OTHERS





#920

STAT-CONTROL

ANTI-STATIC

BLACK

BLACK



- electrical rooms, cashier stations...
- Sponge foam backing provides comfort and fatigue relief
- Quickly drains static charge to protect components and equipment
- Static dissipative surface resistivity of 107 ohms per square
- Bevelled edges for improved safety
- Easy to clean









Traction





MATS: 2'x3', 3'x5', 3'x12', include one installed ground cord



ROLLS: 3'x75'



CUSTOM MATS: Up to 3'x75'.

Needs one ground cord per 10' (sold separately)



SPECS: 1/2" thick, vinyl surface fused to a vinyl foam, surface electrical properties: 1/10 sec from 20,000 volts to harmless, total weight 1.33 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/statcontrol



- · Provides good slip resistance and insulation
- Flame-resistant; certified to Mil Std-1623
- Dialectric rating: 30,000 volts
- Wear resistance: ASTM-D-1242
- · Easy to clean









In comparison to all our mats.





CUSTOM MATS: Unavailable



SPECS: 3/16" thick, extruded vinyl surface, proof tested over entire surface: 30,000 VAC, recommended max. use: 3,000 VAC, total weight 1.11 lb/ft²



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/militarydp

OTHERS

#965

MILITARY SMOOTH SWITCHBOARD RUNNER

NON-CONDUCTIVE

- For non-conductive high-voltage applications e.g.: military installations, near switchboard and other electrical equipment...
- Provides good slip resistance and insulation
- Flame-resistant; certified to Mil Std-1623
- · Dialectric rating: 30,000 volts
- Wear resistance: ASTM-D-1242
- · Easy to clean











ROLLS: 33'x75'



CUSTOM MATS: Unavailable



SPECS: 1/8" thick, extruded vinyl surface, proof tested over entire surface: 30,000 VAC, recommended max. use: 3,000 VAC, total weight 1.11 lb/ft²

BLACK



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/militaryss



- Provides good slip resistance and insulation
- Meets ASTM Std D178, Type 2, Class 2
- Dialectric rating: 30,000 volts
- Meets all optional ASTM standards for resistance to ozone, flames and oils



SPECIALTY











ROLLS: 33'x75'



CUSTOM MATS: Up to 3'x75'

surface



SPECS: 1/4" thick, rubber surface, proof tested over entire surface: 30,000 VAC, recommended max. use: 3,000 VAC, total weight 1.67 lb/ft2



WARRANTY: Limited 1 year

DURA-SHOCK™



FOR MORE INFO: mattech.ca/corrugateds



Reversible





RIBBED

HONEYCOMB



- · Protects floors from free weights and damage
- · Edges are precisely cut to fit together tightly











In comparison to all our mats



MAT: 4'x6'



CUSTOM MATS: Unavailable



SPECS: 3/4" thick, vulcanized rubber, total weight 4.17 lb/ft2



WARRANTY: Limited 1 year



FOR MORE INFO: mattech.ca/durashock



Mat Tech warrants new products against defects in material and work-manship when maintained as instructed in the Mat Tech Use and Care Product Information sheets included with each product. The obligation under this warranty is limited to the original user and to the replacement, repair, or pro-rated refund of said product. This warranty excludes the costs incurred for the installation of the carpet and/or mat. It remains the responsibility of the owner to carry out an inspection of the product prior to the installation.

THIS WARRANTY IS NOT APPLICABLE UNDER THE FOLLOWING CIRCUMSTANCES:

- Improper use, application, installation or cleaning of the product
- Normal wear
- Use of this product for other than its intended purpose
- Lack of proper maintenance as described in the Mat Tech Use and Care instructions packed with each product
- Products that have been altered in any way

If a problem with a product develops during the warranty period, contact your authorized Mat Tech dealer.



NO OTHER MATS WILL DO A BETTER JOB!

Our Performance, Prestige, Logo and Comfort + were developed to provide you with the best matting solutions in the marketplace, to reduce your maintenance costs and to ensure the health and safety of your employees and customers.

For the life of the product, we promise to replace the product if it does not do the job

Your satisfaction is our priority!

This warranty is applicable as long as the product is properly maintained and utilized. However, it does not cover normal wear. If you are not fully satisfied with a product during the warranty period, contact your authorized Mat Tech dealer.

USE & CARE INSTRUCTIONS

ENTRANCE MATTING

Regular maintenance of your mats is critical to extend mat life and appearance. It is recommended to develop a regular maintenance schedule. Frequency will depend on traffic and soil conditions.

INITIAL MAT USE

- 1 | Within a few days of receipt, rolled mats should be unrolled and laid flat.
- 2 | Normal shedding or "fuzzing" may occur with new carpet top mats. This will disappear after a few vacuumings.
- 3 | Some rubber mats may have an oily or sticky film on them. This is a releasing agent that is inherent to molded mats, not a defect. Simply wash down with a mild detergent or degreaser to remove this film
- $4\mid$ To store mats, roll them up and lay them in a dry area with moderate temperatures. Do not stand on end or crush.

PERIODIC INSPECTION

Periodic inspections are recommended on a regular basis to check for border tears. To repair a damaged border or area, glue the section together with cyanoacrylate ester type (super glue) adhesive.

CARPET MATS AND HDNP PRODUCTS

Entrance mats are used to capture dirt and debris before it can be tracked into a facility. However, mats must be cleaned regularly to extend their usefulness and appearance.

- 1 | Vacuum daily
- 2 | Hand wash or extract stains with a carpet spotter using a water-based carpet detergent or shampoo.
- 3 | Periodically clean the mat with a carpet extractor using a water-based detergent or shampoo. Do not use solvent-based cleaners.
- 4 | Excess water is removed by extracting or hanging the mat. Let the mat dry completely before allowing foot traffic to resume.

IMPORTANT

Do not use rotary scrubbers or other mechanical cleaners or scrubbers to clean. Do not use solvents, pH detergents, or alkalis directly on the mat or use the mat in areas where these are used.

ERGONOMIC MATTING

Regular maintenance of your mats is critical to extend mat life and appearance. It is recommended to develop a regular maintenance schedule. Frequency will depend on traffic and soil conditions.

INITIAL MAT USE

- 1 | Within a few days of receipt, rolled mats should be unrolled and laid flat.
- 2 | Some rubber mats may have an oily or sticky film on them. This is a releasing agent that is inherent to molded mats, not a defect. Simply wash down with a mild detergent or degreaser to remove this film.
- 3 | To store mats, roll them up and lay them in a moderate temperature, dry area. Do not stand on end or crush.

ERGONOMIC / ANTI-FATIGUE MATS - Vinyl

A. Shake dirt and debris or sweep with a broom daily to remove surface dirt. Sweep the area underneath the mat before replacing it to remove any dirt or debris that could cause premature wear or cause slip hazards.

B. Mats can be washed off with a hose or pressure washer or damp mopped with a nonabrasive, water based detergent. Let the mat dry completely before allowing foot traffic to resume.

ERGONOMIC / ANTI-FATIGUE MATS - Rubber

A. Shake out dirt and debris by daily flipping the mat over, or by gently sweeping with a broom to remove surface dirt. Sweep the area underneath the mat before replacing it to remove any dirt or debris that could cause premature wear.

B. Mats can be washed off with a hose or pressure washer or gently scrubbed by hand with a soft brush and a nonabrasive, water based detergent. Let the mat dry completely before allowing foot traffic to resume. Grease proof or grease resistant mats used in kitchens or oily environments should be cleaned periodically using a water-based detergent and degreaser with a mop or pressure washer to break down excessive grease.

Mats should not be put in a dishwasher.

IMPORTANT!

Do not use rotary scrubbers, or other mechanical cleaners or scrubbers to clean. Do not use solvents, harsh detergents, or alkalis directly on the mat or use the mat in areas where these are used.

TECHNICAL GLOSSARY

Denier / Fibre

Denier is a unit of measure for the linear mass density of fibres. It is defined as the mass in grams per 9,000 meters. Fibre is a class of materials that are continuous filaments or are in discrete elongated pieces, similar to lengths of thread.

Grit-Safe

A hard sharp granule material that provides extra traction.

Heavy-Duty Needlepunch (HDNP)

Mechanical process involving thousands of needles that orient and interlock fibres to create non-woven fabric. Fabric is able or designed to withstand unusual strain.

Microfibre

Microfibre refers to synthetic fibres that measure less than one denier. The most common types of microfibres are made from polyesters, polyamides (nylon), and/or a conjugation of polyester and polyamide. The shape, size and combinations of synthetic fibres are selected for specific characteristics, including: softness, durability, absorption, wicking abilities, water repellency, electrodynamics, and filtering capabilities.

Nitrile

Added to rubber or plastic compositions, nitrile reduces the absorption of oils into standard rubber, which causes matting to swell and become slippery. For oily areas, use a mat blended with nitrile.

Non-conductive

Non-conductive matting protects workers from electrical shock when operating high-voltage equipment. All of our switchboard matting has nonconductive properties.

Nylon

A designation for a family of synthetic polymers known generically as polyamides. Nylon is one of the most commonly used polymers.

P.E.T. Fibres

P.E.T. (polyethylene terephthalate) fibres are produced from recycled plastic bottles, nicknamed "pop bottle carpet". Naturally stain resistant and do not require the chemical treatments used on most nylon carpets. Retains colour and resists fading due to sun or harsh cleaning. Colour shades can be richer and brighter than those found in nylon yarns.

Polyethylene

Created from a thermoplastic substance that is a synthetic polymer of propylene, this fibre is an excellent material for scraper matting due to its resiliency and hydrophobic properties (ability to repel water).

Polypropylene / Olefin

Yarn extruded from polypropylene pellets into very fine filaments that are entangled to make mat yarn. Colours are added to melted polypropylene before extrusion. The most common yarn used in entrance matting.

Post-Consumer

A waste type produced by the end consumer of a material stream; that is, where the waste-producing use did not involve the production of another product.

Post-Industrial Waste

Materials collected that were generated as scrap or waste material of a production run. These materials are also referred to as pre-consumer.

PVC

A thermoplastic material composed of polymers of vinyl chloride. PVC is a colourless solid with outstanding resistance to water, alcohols, and concentrated acids and alkalis.

Resilience

A key factor in defining anti-fatigue matting. A mat's resilience, or "bounce", is what aids in the removal of lactic acid from the muscles, reducing fatigue. The higher the number, the more resilient the matting. A resilience of 25+ provides a significant increase in worker comfort.

Resistivity

A measure of how strongly a material opposes the flow of electric current. A low resistivity indicates a material that readily allows the movement of electrical charge. The SI unit of electrical resistivity is the ohm meter.

Solution-Dyed

A method of dyeing synthetic fibre in which pigment is added to the nylon or polypropylene chip before it is extruded as filament yarn.

Tufted

Carpet manufactured by the insertion of tufts of yarn through a carpet backing fabric, creating a pile surface of cut and/or loop ends.

Wear-Bond

Our newest innovation in vinyl anti-fatigue matting. This proprietary process manufactures a durable, high-density top surface foam and a lower-density, softer base foam simultaneously. The result is a single, permanently bonded product with an excellent balance of wear and comfort.



Exclusive technology permanently bonds two surfaces without use of glues or adhesives



Safe to use in food preparation areas



The option to include your image on the mat



Manufacturing improvement resulting in more durable and heavyduty product



Product contains recycled content and is designed to preserve our natural resources

SEE P.3 FOR | ENTRANCE | SELECTOR | SEE P.35 FOR ERGONOMIC SELECTOR

SEE P.25 FOR LOGO COLLECTION

ALPHABETICAL LIST OF PRODUCTS

PRODUCTS	#	PAGE	PRODUCTS	#	PAGE
Astro-Turf	110	8	Obdura	205	21
Chair Mats	990	24	Oxford	360	12
Chevron	230	12	Oxford Elite	265	11
Comfort-King	440, 445	35	Oxford Elite Graphic Inlay	21	27
Comfort-King Anti-Static	910	35	Peel-N-Stick	-	24
Corrugated Switchboard	950	51	Proluxe	315	20
Cross-Over	255	14	Pro-Tekt Runner	820	39
Cross-Over Graphic Inlay	22	27	Rug-Hugger Backing	-	24
Crown-Tred	145	18	Safe-Flow Plus	648	38
Crown-Tred Printed	40	26	Safety-Step (Perforated)	680, 681	46
Cushion-Step	511	37	Safety-Step (Solid-Top)	685	45
Deck Plate Runner	850	48	Safewalk	630, 635, 636	38
Diamond-Deluxe	125, 126	11	Safewalk-Light	645, 646	41-42
Diamond-Deluxe with Grit-Safe	133	46	Sheer-Grip	-	35
Dura-Dot	202	21	Spark-Safe	580	45
Dura-Shock	720	51	Sta-Kleen Runner	800	48
Dura-Step	752, 753	47	Stat-Control	920	49
Dust-Star	350	9	Superluxe	310	16
EcoPlus	270, 271	22	Super-Soaker	250	22
Eco-Step	345	19	Super-Soaker Diamond	261, 262	23
Electrically Conductive Deck Plate	930	49	Super-Soaker Fan	252-254	23
Ergo X-Treme	775-779	47	Tack-Tape	296	24
Industrial Deck Plate	500, 505	44	Three-N-One	-	19
Jet Print HD	35	28	Tire-Track	225	9
Jet-Print	30	28	Tuff-Spun	410, 411, 430,	431 41
Marathon	228	8	Velcro Backing Strips	290	24
Marathon Graphic Inlay	20	26	Walk-A-Way	355	16
Mat-A-Dor	100	14	Walk-N-Clean	995	24
Mat-Lock Backing	-	24	WD Elegance		33
Military Deck Plate Switchboard	960	50	WD FoodMaster		33
Military Smooth Switchboard	965	50	WD Traction Plus	543	34
Needle-Pin	240	15	Wear-Bond Comfort-King	460, 560	34
Needle-Rib	235	19	Wear-Bond Tuff-Spun	420, 520	37
			Wide Rib Rubber Runner	-	42
			Workers-Delight Deck Plate	540, 550	44



137 rue Martin, Granby (Québec) J2G 8B1
T **1 800 363-6185** F **450 375-6158**E **info@mattech.ca**

