

LAVO Inc. 11900 Boul. Saint-Jean Baptiste Montréal, QC, H!C 2J3 CANADA 1-800-361-6898

PRODUCT: LAVO 12 Sodium Hypochlorite, PCP12419, DIN02246212, CFIA

CODE: LVLA F07-0165

# SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

LAVO 12 Sodium Hypochlorite, PCP12419, DIN02246212, CFIA PRODUCT NAME:

PRODUCT CODE(S)..... LVLA F07-0165

CHEMICAL FAMILY..... Sodium Hypochlorite solution.

RECOMMENDED USE:.... NSF mul 97mg/L. Alkaline Hypochlorite Solution is used as an oxidizing and bleaching agent. . For industrial, institutional, swimming pool uses. Chlorinating liquid for controlling

bacteria and algae in swimming pool waters. Use in food processing plants. Swimming pool, Shock & regular treatment. Laundry and Household bleach. Use on the farm.

LAVO Inc. MANUFACTURING NAME AND ADDRESS

11900 Boul. Saint-Jean-Baptiste

Montréal, QC, H1C 2J3

CANADA 1-800-361-6898

24 HOUR EMERGENCY NUMBER:.....

CANUTEC 24-Hour Number: 613-996-6666.

#### SECTION 02: HAZARD IDENTIFICATION





SIGNAL WORD..... DANGER. Serious Eye Domage/ Eye Irritation Category 1. Skin corrosion Category 1. Specific Target GHS CLASSIFICATION:.... Organ Toxicity Single Category 3. Respiratory tract irritation Category 1. H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H411 HAZARD STATEMENTS..... Toxic to aquatic life with long lasting effects. P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash thoroughly after PRECAUTIONARY STATEMENTS..... handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of

contents/container to an approved waste disposal plant.

Consult a physician Chay this safey data shoot to the

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS					
HAZARDOUS INGREDIENTS	CAS#	WT. %			
Sodium Hypochlorite Sodium Hydroxide	7681-52-9 1310-73-2	7.0-13.0 0.5-1.5			

#### SECTION 04: FIRST AID MEASURES

GENERAL ADVICE:	Consult a physician. Show this safey data sheet to the doctor.
ROUTES OF EXPOSURE	Eye, Skin, Ingestion and Inhalation.
INHALATION	Remove victim to fresh air. If not breathing, if breathing is irregular or if respiratory arrest
	occurs, provide artificial respiration or oxygen by trained personnel. Get immediate medical
	attention. Call a poison center or physician.
EYE CONTACT	Immediately hold eyelids open and flush with water for at least 15 minutes. Check for and
	remove any contact lenses if easy to do. Consult a physician.
SKIN CONTACT	Immediately flush skin with plenty of water for 15 minutes. Remove contaminated clothing
	and wash before reuse. Consult a physician.
INGESTION	Call immediately a poison centre or a doctor. Do not induce vomiting or give anything by
	mouth to an unconscious person. Rinse out mouth with water.
ACUTE SYMPTOMS/EFFECTS	•

Causes eye burns. Causes eye irritation.

Ingestion: May cause severe irritation damage in the mouth, throat and stomach. Symptoms may include abdominal pain, vomiting, burns, perforations, bleeding and eventually death.



CENEDAL ADVICE

**CODE: LVLA F07-0165** PRODUCT: LAVO 12 Sodium Hypochlorite, PCP12419, DIN02246212, CFIA

#### **SECTION 04: FIRST AID MEASURES**

Causes severe burns. Causes skin irritation. Direct skin contact may cause skin burns. deep ulcerations and possibly permanent scaring.

Inhalation of high concentrations of fumes or mists may cause severe irritation and

corrosive damage to the nose, throat and upper respiratory tract.

DELAYED SYMPTOMS/EFFECTS..... Prolonged or repeated contact may cause drying, cracking and de fatting of the skin.

# **SECTION 05: FIRE FIGHTING MEASURES**

CONDITIONS OF FLAMMABILITY..... Non-flammable substance. Non combustible substance.

SUITABLE EXTINGUISHING MEDIA..... Use fire-extinguishing media appropriate for surrounding materials. Use Water spray,

Alcohol-resistant foam, Dry chemical or Carbon dioxide.

UNSUITABLE EXTINGUISHING MEDIA..... Do not use dry chemical extinguishing agents that contain ammonium compounds. Firefighter should wear proper protective equipment and seft contained breathing SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS apparatus with full face piece operated in positive pressure mode. Move containers from

fire area if safe to do so. Use water to cool fire exposed containers.

May include and are not limited to:. Chlorine; Hydrogen chloride gas; Oxygen; Sodium

dioxides.

**EXPLOSION HAZARDS:** 

HAZARDOUS COMBUSTION PRODUCTS.

Sensitivity to static discharge:..... No data available. Sensitivity to mechanical impact:.... No data available.

## **SECTION 06: ACCIDENTAL RELEASE MEASURES**

PERSONNAL PRECAUTIONS:.... Restrict access to area until completion of clean up. Evacuate personnel to safe areas.

Ensure clean up is conducted by trained personnel only. Do not touch and walk through spilled material. All persons dealing with clean up should wear the appropriate protective equipment including self contained breathing apparatus. Do not touch damage damaged containers or spilled material unless wearing appropriate protective clothing. Use personnel protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural

ENVIRONMENTAL PRECAUTONS:....

CONTAINMENT AND CLEANING

sand), then place absorbent material into a container for later disposal. Flush with water. Do not flush into surface water or sanitary sewer system. Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as

required.

# **SECTION 07: HANDLING AND STORAGE**

HANDLING PROCEDURES..... Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Use in well ventilated areas. Do not get in eyes, on skin or on

clothing. Avoid inhalation of mists/vapours/fumes. Wash thoroughly after handling. Keep

container tightly closed.

Keep out of reach of children. Protect from sunlight. Keep container tightly closed. Store in STORAGE NEEDS..... a cool, dry and well ventilated area. Do not store near acids.

STORAGE TEMPERATURE.....

#### SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

	ACGIH TLV		OSHA PEL		NIOSH
INGREDIENTS	TWA	STEL	PEL	STEL	REL

Sodium Hypochlorite Not established Ceiling: 2 mg/m3 2 mg/m3 Not established Not established Sodium Hydroxide Not established 2 mg/m3 2 mg/m3 Not established Not established

ACGIH TLV:.... American Conference of Governmental Industrial Hygienists - Threshold Limit Value.

OSHA PEL:.... Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH:.... Immediately Dangerous to Life or Health.

Use under well-ventilated conditions or with respiratory protection. ENGINEERING CONTROLS.....

Avoid breathing vapor or mist. Avoid contact with skin, eyes and clothing. Remove soiled GENERAL HYGIENE CONSIDERATIONS:... clothing and wash it thoroughly before reuse. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Do not eat, drink, smoke or use cosmetics while working with this product.

As required by employer. Complete suit protecting agains chemicals. The type of protective PERSONNAL PROTECTION EQUIPMENT: equipment must be selected according to the concentration and amount of the dangerous

substance at the specific workspace. Wear saftey glasses with side shields or goggles.

Hand protection:.... Wear protective gloves. Gloves must be inspected prior to use.

Eye / Face protection:....

**CODE: LVLA F07-0165** 

PRODUCT: LAVO 12 Sodium Hypochlorite, PCP12419, DIN02246212, CFIA

#### SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

breathing apparatus.

#### **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Clear, pale yellow liquid. Translucent. APPEARANCE..... COLOUR..... Yellow to greenish. ODOUR..... Chlorine odor. ODOUR THRESHOLD (ppm)..... No information available. pH..... >12.5. DENSITY..... 1.10-1.25 g/mL. % SOLID..... 16 to 26. FREEZING POINT (°C)..... BOILING POINT (°C)..... FLASH POINT (°C), Method..... -30°C to -20°C. 96 to 120°C. Not applicable. Product does not sustain combustion. EVAPORATION RATE.....VAPOUR PRESSURE (mm Hg)..... No information available. < 2.3 kPa (17.5 mm Hg @ 20°C). VAPOUR DENSITY (AIR=1).....SOLUBILITY IN WATER (% W/W)..... Heavier than air. Soluble in cold water. COEFFICIENT OF WATER\OIL ..... No information available. DISTRIBUTION

# **SECTION 10: STABILITY AND REACTIVITY**

CHEMICAL STABILITY..... Stable under the recommended storage and handling conditions prescribed. Reacts with other chemicals such as toilet bowl cleaners, rust removers, acids, or products REACTIVITY..... containing ammonia to produce hazardous irritating gases, such as chlorine and other chlorinated compounds. Contact with some reactive metals may produce flammable hydrogen gas. Corrosive to metals. HAZARDOUS POLYMERIZATION..... Hazardous polymerization cannot occur. Avoid heat and open flame. Exposure to sunlight. Do not mix with other chemicals. Toilet bowl cleaners, rust removers, acids, reducing agents, other oxidizing agents and CONDITIONS TO AVOID..... INCOMPATIBILITY..... products containing ammonia. Avoid contact with the following materials: Urea, Ammonia, Amides, Amines, Nitrogen containing compounds, Combustible materials, Organic materials, Metals, Reducing materials, Hydrocarbons materials, Alcohols, Ether. Contact with Magnesium, galvanized Zinc, Tin, Chronium, Brass and Bronze generates explosive Hydrogen. 

# **SECTION 11: TOXICOLOGICAL INFORMATION**

INGREDIENTS	LC50	LD50	
Sodium Hypochlorite		Oral Rat: 8200 mg/kg; Oral Mice: 5800 mg/kg; Dermal Rat:>2000 mg/kg; Dermal Rabbit: >10,000 mg/kg	
Sodium Hydroxide		Oral Rat: 2400mg/kg Dermal Rabbit: >2000mg/kg	
ROUTE OF EXPOSURE	Causes eye burns. Causes severe eye dam Causes skin burns. Causes skin irritation.	nage.	
Ingestion CHRONIC EFFECTS ON HUMANS	<ul> <li> Harmful if swallowed. May cause severe irri and stomach.</li> <li> Safe handling of this material on a long term</li> </ul>	tation and corrosive damage to mouth, throat  n basis should emphasize the prevention of all	
SENSITIZATIONTARGET ORGANS	contact with this material to avoid any effects from repetitive acute exposures.  No information available.  Contains material which my cause damage to the following organs:upper respiratory tract, skin, eye, lens of cornea and stomach.		
CARCINOGENICITY Carcinogen classification code ACGIH	<b>G</b>	n (Sodium Hypochlorite). No component of this	
IARC	product present at levels greater than or equential carcinogen by ACGIH.	ual to 0.1% is identified as a carcinogen or	

International Agency for Research on Cancer

DECOMPOSITION

PRODUCT: LAVO 12 Sodium Hypochlorite, PCP12419, DIN02246212, CFIA

#### SECTION 11: TOXICOLOGICAL INFORMATION

MUTAGENICITY..... No information available. REPRODUCTIVE EFFECTS..... No information available. TERATOGENICITY..... No information available. SPECIFIC TARGET ORGANS TOXICITY - . No information available. Single exposure SPECIFIC TARGET ORGANS TOXICITY - . No information available. Repeated exposure

ASPIRATION HAZARD.... No information available. SIGNS AND SYMPTOMS OF EXPOSURE..

Symptoms may include stinging, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result. Burning sensation, Cough, Wheezing,

**CODE: LVLA F07-0165** 

Laryngitis, Shortness of breath, Spasm, Inflammation and Edema of the Larynx,

Inflammation and Edema of the bronchi and Pneumonary edema.

SYNERGISTIC MATERIALS..... No information available.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Acute 96Hrs LC50 Rainbow trout: 0.030 - 0.070 mg/L. Acute 48Hrs LC50 Daphnia magna:0.032 - 0.036 mg/L. ECOTOXICITY DATA, Sodium Hypochlorite: Acute 96Hrs LC50 fish Guppy Poecilia reticulata:196 mg/L ECOTOXICITY DATA, Sodium Hydroxide:...

Chronic 96Hrs NOEC fish Guppy Poecilia reticulata:56 mg/L.

MOBILITY IN SOIL.....BIODEGRADABILITY..... No information available. No information available. BIOACCUMULATION..... No information available.

OTHER ADVERSE EFFECTS..... Very toxic to aquatic life with long lasting effects.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL..... The disposal of the product must be made in an approved sanitary landfill or in a foundry in accordance with state, provincial and/or federal regulations.

## **SECTION 14: TRANSPORT INFORMATION**

Domestic Substances list, DSL..... All components of this product are either on the Domestic Substances List, the Non

Domestic Substances List or exempt. Divulgation list of ingredients..... CAS: 7681-52-9 Sodium Hypochlorite, 1%.

TDG CLASSIFICATION..... Limited quantity exception per TDG Regulations Part 1.17(2) -Containers not more than 5L.

UN: 1791 Class:8 Packing group: III Shipping name: Hypochlorite solution, n.o.s. (Marine pollutant: No Poison Inhalation Hazard: No).

Class:8 Packing group: III Shipping name: Hypochlorite Limited Quantity 5L. UN:1791 DOT US: Department of Transport US......

solution, n.o.s. (Marine pollutant: No Poison Inhalation Hazard: No) . UN: 1791 Class:8 Packing group: III Shipping name: Hypochlorite solution, n.o.s.

IMDG: International Maritime Dangerous .....

Marine pollutant: No.

IATA: International Air Transportation ...... UN: 1791

Class:8 Packing group: III Shipping name: Hypochlorite solution, n.o.s.

Association

#### **SECTION 15: REGULATORY INFORMATION**

This product has been classified in accordance with the hazard crireria of the Controlled WHMIS CLASSIFICATION..... Products Regulations and this document contains all the information required by the

Controlled Products Regulations. Class E: Corrosive Material. Class C: Oxidizing Material. Class D1B: Materials Causing Immediate/Serious Effects - Toxic Material. Class D-2B:

Toxic material Causing other toxic effects.

# **SECTION 16: OTHER INFORMATION**

F0007-0165 DISCLAIMER:....

The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. Lavo Inc. expressly disclaims all expressed or implied warranties for the accuracy or completeness of the data contained herein and assumes no responsibilities for any involved damages by above data. Product's users have to do their own tests to establish the applicability of the information for a specific use of the product. MSDS data does not apply to use with any other product or in any other process.

Regulatory Affairs

PREPARED BY: ..... PREPARATION DATE..... DEC 17/2015

