Version 1.1

Revision Date 06/22/2018

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name : A07724 INO CITRUS 90D CCCR 12N5.3

Material number : 00000000001042665

Manufacturer or supplier's details

Company	:
Address	:

Telephone

Emergency telephone num	ibers
For SDS Information	:
For a Medical Emergency	:
For a Transportation	:
Emergency	

Recommended use of the chemical and restrictions on use

2

Recommended use : Air Care

Note: This product is labeled as a consumer product in accordance with the Canadian Consumer Chemicals and Containers Regulations (CCCR) of Health Canada. The warnings presented below in this Safety Data Sheet (SDS) comply with the WHMIS 2015 Hazardous Products Regulation (GHS - Globally Harmonized System of Classification and Labeling). The requirements for the labeling and warnings of consumer products may differ from those required for GHS based hazard communication.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	yellow
Odour	characteristic

GHS Classification

Flammable aerosols	:	Category 1
Gases under pressure	:	Liquefied gas
Eye irritation	:	Category 2A
Skin sensitisation	:	Category 1
Specific target organ toxicity -	:	Category 3 (Central nervous system)
single exposure		

GHS label elements

sion 1.1	Revision Date 06/22/2018	Print Date 01/22/2019
Hazard pictograms		
Signal word	: Danger	
Hazard statements	 H222 Extremely flammable aero H280 Contains gas under press H317 May cause an allergic ski H319 Causes serious eye irritat H336 May cause drowsiness or 	sure; may explode if heated. in reaction. tion.
Precautionary statements	the workplace. P280 Wear protective gloves/ e Response: P302 + P352 IF ON SKIN: Was P304 + P340 + P312 IF INHALI and keep comfortable for breath CENTER/doctor if you feel unw P305 + P351 + P338 IF IN EYE for several minutes. Remove co easy to do. Continue rinsing. P333 + P313 If skin irritation or advice/ attention. P337 + P313 If eye irritation per attention.	smoking. flame or other ignition source. o not pierce or burn, even after ne/ gas/ mist/ vapours/ spray. er handling. well-ventilated area. ing should not be allowed out of eye protection/ face protection. sh with plenty of soap and water ED: Remove person to fresh air hing. Call a POISON rell. ES: Rinse cautiously with water ontact lenses, if present and rash occurs: Get medical rsists: Get medical advice/ hated clothing and wash it before ight. Do not expose to 122 °F. ntilated place. Keep cool.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
acetone	67-64-1	>= 45 - < 70
propane	74-98-6	>= 10 - < 30
Oils, sweet orange (terpenes and terpenoids)	68647-72-3	>= 1 - < 5

SAFETY DATA SHEET A07724 INO CITRUS 90D CCCR 12N5.3 Version 1.1 Revision Date 06/22

Revision Date 06/22/2018 Print Date 01/22/2019

alpha-hexylcinnamaldehyde	101-86-0	>= 1 - < 5	
Oil of orange	8008-57-9	>= 1 - < 5	

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended. Get medical attention.
If inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. Rinse immediately with plenty of water for at least 15 minutes.
If swallowed	:	Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time). Causes serious eye irritation. May cause drowsiness or dizziness. May cause an allergic skin reaction. Review section 2 of SDS to see all potential hazards.
Notes to physician	:	Treat symptomatically. Symptoms may be delayed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical Water spray jet	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during	: Do not allow run-off from fire fighting to enter drains or w	vater

Version 1.1	Revision Date 06/22/2018	Print Date 01/22/2019
firefighting	courses.	
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke	
Specific extinguishing methods	: Use extinguishing measures that a circumstances and the surroundin	
Further information	: Standard procedure for chemical f Collect contaminated fire extinguis must not be discharged into drains Fire residues and contaminated fir be disposed of in accordance with	shing water separately. This 3. e extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	paratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	 Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	 Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up or vacuum up spillage and collect in suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Always replace cap after use. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
-------------------------	--

Version 1.1	Revision Date 06/22/2018	Print Date 01/22/2019
Conditions for safe storage	 BEWARE: Aerosol is pressurized. exposure and temperatures over s or throw into fire even after use. D red-hot objects. No smoking. Observe label precautions. Keep in a dry, cool and well-ventil Electrical installations / working m the technological safety standards 	50 °C. Do not open by force to not spray on flames or lated place.
Materials to avoid	: Oxidizing agents	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
acetone	67-64-1	TWA	500 ppm 1,200 mg/m3	CA AB OEL
		STEL	750 ppm 1,800 mg/m3	CA AB OEL
		TWA	250 ppm	CA BC OEL
		STEL	500 ppm	CA BC OEL
		STEV	1,000 ppm 2,380 mg/m3	CA QC OEL
		TWAEV	500 ppm 1,190 mg/m3	CA QC OEL
		TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm	CA AB OEL
		TWA	1,000 ppm	CA BC OEL
		TWAEV	1,000 ppm 1,800 mg/m3	CA QC OEL
		TWA	1,000 ppm	CA ON OEL
		TWA	1,000 ppm	ACGIH
Oil of orange	8008-57-9	TWAEV (Mist)	10 mg/m3	CA QC OEL

Components with workplace control parameters

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentratio n	Basis
2-PROPANONE	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally

SAFETY DATA SHEET A07724 INO CITRUS 90D CCCR 12N5.3 Version 1.1 Revision Date 06/22/2018

Print Date 01/22/2019

required.

Hand protection Remarks	The use of skin protection is not normally required; howe good industrial hygiene practice suggests the use of glov other appropriate skin protection whenever working with chemicals, and especially if prolonged or frequent contac possible or likely.	es or
Eye protection	Always wear eye protection when the potential for inadve eye contact with the product cannot be excluded.	rtent
Skin and body protection	No special protection is required.	
Hygiene measures	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aerosol containing a liquefied g	jas
Colour	: yellow	
Odour	: characteristic	
Odour Threshold	: No data available	
рН	: Not applicable	
Melting point/freezing point	: No data available	
Boiling point	: No data available	
Flash point	:	
	No data available	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol.	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: No data available	
Solubility(ies)		
Water solubility	: No data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Heat of combustion	: 36.67 kJ/g	

SAFETY DATA SHEET A07724 INO CITRUS 90D CCCR 12N5.3 Version 1.1

Revision Date 06/22/2018

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. No decomposition if stored and applied as directed.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

SECTION 11. TOXICOLOGICAL INFORMATION

	Potential Health Effects Aggravated Medical Condition	: None known.
	Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include irritation, redness, pain, and rash. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Effects are dependent on exposure (dose, concentration, contact time).
	Carcinogenicity:	
	IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
	ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
Αςι	ite toxicity	
	Components:	
	acetone: Acute oral toxicity	: LD50 Rat: 5,800 mg/kg
	Acute inhalation toxicity	: LC50 Rat: 132 mg/l Exposure time: 3 h

Version 1.1

Acute dermal toxicity : LD50 Guinea pig: > 7,426 mg/kg

LD50 Rabbit: > 7,426 mg/kg

Skin corrosion/irritation

Product:

Remarks: May irritate skin.

Serious eye damage/eye irritation

Product:

Remarks: Irritating to eyes.

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: Not applicable

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available Persistence and degradability

Version 1.1

Revision Date 06/22/2018

No data available **Bioaccumulative potential**

Product:

octano <u>Compo</u>	onents:		Remarks: No data available
•	nexylcinnamaldehyde		
Partitio	on coefficient: n- I/water	:	log Pow: 4.686
Mobility in s	soil		
No data ava	ilable		
Other adver	rse effects		
No data ava <u>Produc</u>			
Additio informa	nal ecological ation	:	Not applicable

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Dispose of in accordance with local regulations. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation (TDG) / Règlement Pour Le Transport (TMD): (Canada): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IMDG (Vessel): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Cargo Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: IATA (Passenger Air): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Transportation Regulation / Règlement Pour Le Transport: 49 CFR (USA): UN1950, AEROSOLS, FLAMMABLE, 2.1, - Limited quantity

Version 1.1

Revision Date 06/22/2018

Print Date 01/22/2019

The product as delivered to the customer conforms to packaging requirements for shipment by road under Transport Dangerous Goods (TDG) Canada regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

This product has been classified according to the hazard criteria of the HPR and the SDS contains all of the information required by the HPR.

The components of this product are reported in the following inventories:

DSLAll components of this product are on the Canadian DSLTSCAOn TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Hazard nictograms

WHMIS - GHS Label Information:

Hazaro pictograms	
Signal word	: Danger:
Hazard statements	 Extremely flammable aerosol. Contains gas under pressure; may explode if heated. May cause an allergic skin reaction. Causes serious eye irritation. May cause drowsiness or dizziness.
Precautionary statements	:
	 Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/ eye protection/ face protection. Response: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. Take off contaminated clothing and wash it before reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store in a well-ventilated place. Keep cool. Disposal: Dispose of contents/container in accordance with local regulation.

Version 1.1

Version:	1.1
Revision Date:	06/22/2018
Print Date:	01/22/2019

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.